
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



JE E O T T W D

A SEP 2 6 1944

U. E. Department of Agric lture

PRINCETON NURSERIES

WM. FLEMER'S SONS, Inc.



垄

FALL 1944 - SPRING 1945
WHOLESALE
PRICE LIST



PRINCETON, N. J. Tel. 1776

WAR AND PEACE

To our Friends and Customers in the Trade:

It was exactly twenty-seven years ago today that I sailed from New York on the White Star Liner "Baltic" for overseas duty in World War 1. That was a great adventure, terminating in the allied nations' victory. Increasing and prosperous business was enjoyed for more than a decade after the war.

Today we are nearing the end of World War 2. Many of our sons and close relatives are in the armed forces. My own son, William Flemer, 3rd, is with the U. S. Engineers in France, having landed there a few days after the invasion started. His letters tell of terrific destruction in some places, whereas other places are untouched.

As this is being written, the War in Europe is progressing very rapidly. No one can set the date for the cessation of hostilities. After this, of course, there will be the Japanese situation to clean up. However, the worst of the struggle should be over.

When peace comes the nation can look forward to a period of great prosperity. We, here in Princeton, have kept our production up and are ready to serve you with material for your increasing trade. Our quality is good and prices are reasonable. You can depend on our material and save yourself a lot of trouble by buying what you need here in Princeton.

PRINCETON NURSERIES

WM. FLEMER, JR. President.

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

Terms:

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

5% DISCOUNT will be allowed for CASH IN FULL with the order, providing digging or delivery is scheduled for not less than 30 days from date of order.

Orders for shipment C.O.D. must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

25% ADDITIONAL CHARGE For SPECIAL SELECTION and TAGGING in the Nursery

Reduction in personnel makes it imperative to make a charge of 25 per cent additional on our regular listed price for the special selection and marking in the nursery of extra heavy or specimen plants. We invite inspection of our material and on quantity orders will, if requested, mark an average sample to assist our diggers in the selection of the grade wanted.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for ass, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a *carefully dug*, solid ball of earth, *laced* with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

Diam.		Estimated		
of ball	Size	Weight		Each
10"	18/24"	30 lbs.	***************************************	.50
12"	2/3'	45 lbs.		.75
13"	3/4'	60 lbs.		1.20
15"	4/5'	75 lbs.		1.50
16"	5/6'	100 lbs.		2.00
18"	6/8'	150 lbs.		2.75
21"	8/10'	225 lbs.		4.00

Due to the War and uncertain labor conditions, the following sizes are quoted subject to our ability to get help. In other words, we cannot guarantee these prices.

2" cal.	300 lbs.		5.50
21/2" cal.	425 lbs.	***************************************	7.50
3" cal.	750 lbs.		10.00
31/2" cal.	1150 lbs.		15.00
4" cal.	1600 lbs.		20.00
41/2" cal.	2100 lbs.		25.00
5"cal.	2750 lbs.		30.00
	4000 lbs.		45.00
			60.00
	2½" cal. 3" cal. 3½"cal. 4" cal. 4½"cal.	2½" cal. 425 lbs. 3" cal. 750 lbs. 3½"cal. 1150 lbs. 4" cal. 1600 lbs. 4½"cal. 2100 lbs. 5"cal. 2750 lbs. 4000 lbs.	2½" cal. 425 lbs. 3" cal. 750 lbs. 3½"cal. 1150 lbs. 4" cal. 1600 lbs. 4½"cal. 2100 lbs. 5"cal. 2750 lbs.

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery on page 3.

terms of delivery on page 3.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

PLATFORMS

Platforms, if required, will be charged for at the following schedule of prices based on actual cost of labor and material.

The amount so charged will be rebated, providing customers return platforms at their own expense.

Platform	Usual	
size	Ball Size	Charge
24" Sq.	30" to 36"	\$1.50
28" sq.	32" to 40"	1.75
30" sq.	36" to 44"	2.00
32" sq.	40" to 48"	
36" sq.	48" to 54"	
40" sq.	54" to 60"	

Boxing Charges

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	\$1.35	1.65	2.00	2.40	2.80	3.25	3.50
6'	1.75	2.15	2.50	3.00	3.50	4.00	4.50
8'	2.25	2.75	3.25	3.75	4.25	5.00	5.50
10'	3.00	3.50	4.00	4.50	5.00	6.00	6.50
12'	3.75	4.25	4.75	5.25	6.00	7.00	7.50
14'	4.50	5.00	5.50	6.00	7.00	8.00	8.50

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

Due to war restrictions and uncertainties, it is impossible at this time for us to set up a definite schedule of truck delivery charges or to guarantee deliveries. We, therefore, will be glad to estimate delivery cost and to arrange for trucking of your orders contingent on our ability at the time to use our own equipment or hire trucking.

"CARLOADS" AND FREIGHT SHIPMENT

Whenever it is practical we recommend rail shipment by freight or express.

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

WAR PROVISIONS—Due to the war, all agreements and contracts are subject to priorities, covering material, transportation, and labor, and any other restrictions that may hinder or prevent us from performing on such agreements.



Packing Shed and Railroad Siding provide direct facilities for freight shipment.

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from "Standardized Plant Names," the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

Unit Price in Quantities 1-4 5-24 25-249

.45

.55

ABELIA Edouard Gouchet		New	Abelia
9 to 12 in., pots or B&B	.75	.60	.50
12 to 15 in., pots or B&B	1.10	.95	.75
— grandiflora, 3'-4'		Glossy	Abelia
12 to 15 in., pots or B&B	.75	.60	.50
15 to 18 in., pots or B&B	1.05	.90	.70
18 to 24 in., pots or B&B	1.30	1.05	.85
2 to 3 ft., pots or B&B	1.65	1.35	1.10

ABIES-FIRS

ABIES concolor, 70'-80'		Whi	te Fir
18 to 24 in., B&B	1.80	1.50	1.25
2 to 2½ ft., B&B	2.60	2.20	1.75
2½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50
4 to 5 ft., B&B	7.50	6.25	
5 to 6 ft., B&B	9.00	7.50	
Larger specimens to 14 ft., @ \$	2.00 per	ft.	

- nordmanniana, 80'-100' Nordman

nordmanniana, 80'-100'		Nordman	in Fir
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
2½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50
— veitchi, 60'-80'		Veit	ch Fir

— veitchi, 60'-80'		veit	en Fir
18 to 24 in., B&B	1.20	1.00	
2 to 3 ft., B&B	2.00	1.75	
3 to 4 ft., B&B	2.40	2.00	

ACANTHOPANAX pentaphylum	(seibold	lianus)	
7'-8'	F	iveleaf 1	Aralia
18 to 24 in	.27	.22	.18
2 to 3 ft	.37	.30	.25
9 40 4 84	F0	45	25

.70

4 to 5 ft.

ACER-MAPLES

ACER dasycarpum (saccharinum)

60'-80'		Silver	Maple
6 to 8 ft	.90	.75	.60
8 to 10 ft	1.35	1.10	.90
8 to 10 ft.—1¼ to 1½ in	1.90	1.50	1.25
10 to 12 ft.—1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft.—1 3/4 to 2 in	3.00	2.50	2.00
12 to 13 ft.—2 to 2½ in	3.75	3.00	2.50
13 to 14 ft.—2½ to 3 in	5.25	4.40	3.50
14 to 16 ft.—3 to 3½ in	6.00	5.00	
— ginnala, 10'-12'		Amur	Maple
	4 40		
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
— negundo, 60'		Во	xelder
6 to 8 ft	.90	.75	.60
8 to 10 ft.—1 to 1¼ in	1.35	1.10	.90
9 to 11 ft.—1¼ to 1½ in	1.90	1.50	1.25
10 to 12 ft.—1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft.—1 ¾ to 2 in	3.00	2.50	2.00
	r Tag		
JAPANESE MAPI	LES		
JAPANESE MAPI	LES		
— palmatum atropurpurem, 6'-8'			
— palmatum atropurpurem, 6'-8'		Tapanese	Maple
— palmatum atropurpurem, 6'-8'		apanese	Maple 2.50
— palmatum atropurpurem, 6'-8'	eleaf J		
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	eleaf J	3.00	2.50
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50	3.00 3.75	2.50 3.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00	3.00 3.75 5.00	2.50 3.00 4.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00	3.00 3.75 5.00 6.25	2.50 3.00 4.00 5.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00 7.50	3.00 3.75 5.00 6.25	2.50 3.00 4.00 5.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00 7.50	3.00 3.75 5.00 6.25 Norway 1.50	2.50 3.00 4.00 5.00 Maple 1.25
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00 7.50 2.00 2.25	3.00 3.75 5.00 6.25 Norway 1.50 1.90	2.50 3.00 4.00 5.00 Maple 1.25 1.50
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00 7.50 2.00 2.25 3.00	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00 7.50 2.00 2.25 3.00 3.75	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50 3.00	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00 2.50
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	3.75 4.50 6.00 7.50 2.00 2.25 3.00 3.75 4.50	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50 3.00 3.75	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00 2.50 3.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	2.00 2.25 3.75 4.50 6.00 7.50 2.00 2.25 3.00 3.75 4.50 5.25	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50 3.00 3.75 4.40	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00 2.50 3.00 3.50
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	2.00 2.25 3.75 4.50 6.00 7.50 2.00 2.25 3.00 3.75 4.50 5.25 6.00	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50 3.00 3.75 4.40 5.00	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00 2.50 3.00 3.50 4.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	2.00 2.25 3.75 4.50 6.00 7.50 2.00 2.25 3.00 3.75 4.50 5.25 6.00 7.50	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50 3.00 3.75 4.40 5.00 6.25	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00 2.50 3.00 3.50 4.00 5.00
— palmatum atropurpurem, 6'-8' Purple 18 to 24 in., B&B	2.00 2.25 3.75 4.50 6.00 7.50 2.00 2.25 3.00 3.75 4.50 5.25 6.00	3.00 3.75 5.00 6.25 Norway 1.50 1.90 2.50 3.00 3.75 4.40 5.00	2.50 3.00 4.00 5.00 Maple 1.25 1.50 2.00 2.50 3.00 3.50 4.00

		ice in Qua	
ACER—Continued	1-4	5-24	25-249
— platanoides schwedleri, 40'-60'	Scl	nwedler	Manle
6 to 8 ft.	3.00		2.00
7 to 10 ft., 1 to 1½ in.	3.75	3.00	2.50
8 to 11 ft., 1½ to ½ in.	4.50	3.75	3.00
9 to 12 ft., 1½ to 13/4 in		4.40	3.50
9 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	6.00	5.00	4.00
10 to 12 ft., 2 to 2½ in	7.50	6.25	5.00
rubrum, 50'-75'	Pod or	Scarlet	Manla
		1.90	1.50
6 to 8 ft. 8 to 10 ft., 1 to 1¼ in		2.50	2.00
9 to 11 ft., 1 1/4 to 1 1/2 in		3.00	2.50
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
11 to 13 ft., 1 3/4 to 2 in	6.75	5.50	4.50
12 to 14 ft., 2 to 2 1/4 in	8.50	7.00	5.50
12 to 15 ft., 2 1/4 to 2 1/2 in		8.00	6.50
14 to 16 ft., 2½ to 3 in			8.00
— saccharum, 50'-75',			Maple
6 to 8 ft	2.60	2.20	1.75
8 to 10 ft., 1 to 1¼ in	3.40	2.75	2.25
9 to 11 ft., 1¼ to 1½ in		3.50	2.75
10 to 12 ft., 1½ to 1¾ in	4.90	4.00	3.25
11 to 13 ft., 1 1/4 to 2 in		4.75	3.75
12 to 14 ft., 2 to 2 1/4 in.	6.25	5.25	4.25
13 to 15 ft., 2½ to 2½ in	7.50	6.25	5.00
14 to 16 ft., 2½ to 3 in	9.00	7.50	
15 to 18 ft., 3 to 3½ in		$10.00 \\ 12.00$	
16 to 19 ft., 3½ to 4 in	14.50	12.00	
AILANTHUS glandulosa (altissin	na)		
50′-60′	7	Tree of I	Heaven
5 to 6 ft	1.00	.90	.70
6 to 8 ft		1.25	1.00
8 to 10 ft	2.25	1.90	1.50
10 to 12 ft., 1½ to 2 in	3.40	2.75	2.25
12 to 14 ft., 2 to 2½ in	5.25	4.40	3.50
AKEBIA quinata, 15'-20'	T	'iveleaf	Alrohia
2 year	.37	.30	.25
ALNUS glutinosa, 70'-80'	E	luropear	Elder
6 to 8 ft		.75	-
8 to 10 ft			
10 to 12 ft	2.10	1.75	
AMELANCHIER canadensis (botryapium), 20'-30'	De	wny Sh	adhlow
2 to 3 ft		.50	.40
3 to 4 ft	85	.70	.55
4 to 5 ft.	1.10	.95	.00
5 to 6 ft.		1.25	
			- 11.1
- stolonifera, 3'-4'		ning Sh	
18 to 24 in.	45	.37	.30
2 to 3 ft	60	.50	.40
3 to 4 ft	75	.60	.50

1111101101111101101			
	Unit Pr 1-4	ice in Quar 5-24	ntities 25-249
AMORPHA fruticosa		Indigo	Bush
2 to 3 ft.	.37		
3 to 4 ft	.37 .52	.45	.35
4 to 5 ft	.70	.45 .55	.45
AMPELOPSIS aconitifolia, 25'-30'	Mc	nkshood	Vina
2 year			
3 year	.45	.37	.30
— heterophylla 25'-30'	orcela	in Ampe	lopsis
2 year 3 year	.52	.45	.35
- humulifolia, 25'-30'	Н	op Ampe	lopsis
2 year	.37	.30	.25
3 year	.52	.45	.35
— quinquefolia, 30'-50'	Vi	rginia Cı	eeper
1 year	.18	$.15 \\ .22$.12
2 year	.27	.22	.18
— engelmanni, 30'-40'	Engel	lmann Cı	eeper
1 year	.18	.15	.12
2 year	.27	.22	.18
— tricuspidata veitchi, 40'-50'		Bost	on Ivy
1 year, 12 to 18 in		.25	.20
2 year, 18 to 24 in	.45	.37	.30
AMYGDALUS nana (See Prunus a	glandu	losa)	
— persica (See Prunus persica)			
ARALIA spinosa, 18'20'		Hercule	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
ARONIA arbutifolia, 6'-8'	Re	ed Choke	berry
18 to 24 in.	.30	.25	.20
2 to 3 ft.	.37	.30	.25
3 to 4 ft	.52	.45	.35
		ed Choke	
18 to 24 in	.30	.25	.20
2 to 3 ft	.37 $.52$.30 .45	.25
ð t0 4 It.	.04	64.	.00

	Unit Pric	e in Quantities
	1-4	5-24 25-249
ARONIA—Continued		
— melanocarpa (nigra), 8'-10'	Black	Chokeberry
18 to 24 in		
2 to 3 ft		.30 .25
3 to 4 ft.		.45 .35
0 00 1 10,	.0.	.10
AFFATTOAC		
AZALEAS		
AZALEA amoena (obtusum amo		
3'-4'		noena Azalea
10 to 12 in., B&B		1.25 1.00
12 to 15 in., B&B	1.90	1.50 1.25
15 to 18 in., B&B	2.60	1.50 1.25 2.20 1.75 2.50 2.00
18 to 24 in., B&B	3.00	2.50 2.00
anhanasaans 10/ 19/		Swroot Amalon
- arborescens, 10'-12'		Sweet Azalea
15 to 18 in., B&B	1.50	1.25
18 to 24 in., B&B	2.25	1.00
2 to 2½ ft., B&B	$\frac{3.00}{3.50}$	2.50 ——
2½ to 3 It., B&B	5.50	5.00
— calendulacea, 4'-5'	Ŧ	Flame Azalea
18 to 24 in., B&B		1.90 —
2 to 2½ ft., B&B		2.50
2½ to 3 ft., B&B	3.50	3.00
3 to 4 ft., B&B	5.25	4.40 —
0 00 1 200, 2002	0.20	
— Hinodegiri, 3'-4'	Hinod	egiri Azalea
8 to 10 in., B&B	1.05	.90 .70
10 to 12 in., B&B		1.10 .90
12 to 15 in., B&B		1.50 1.25
— kaempferi, 4'-5'	,	Forch Azalea
12 to 15 in., B&B	1.50	1.25 1.00
15 to 18 in., B&B	2.25	1.90 1.50
18 to 24 in., B&B	3.00	2.50 2.00
AZALEA KAEMPFERI	HVDDI	De
	птыкі	DS
Carmen—Rose-pink flowers.		
Cleopatra—Lilac-rose flowers.		
Fedora—Salmon-rose flowers.		
Louise—Light-rose flowers.		
Othello—Brick-red flowers.		
12 to 15 in., B&B	1.90	1.50 1.25
15 to 18 in., B&B	2.60	2.20 1.75
18 to 24 in., B&B	3.40	2.80 2.25
KURUME AZALI	EAS	
		vailable
Benigeri-Brick-red flowers,	DIZES A	· · dilabio
	19 in •	12 to 15 in.
	J 12 111.,	14 (0 19 111.
Christmas Cheer—Red double,	10.	101 171
	12 in.;	12 to 15 in.
Coral Bell-Coral pink double,		
9 to	12 in.;	12 to 15 in.
Flame—Brilliant red flowers,		
9 to 12 in.; 12 to 15 in.; 15 to	18 in .	18 to 94 in
5 to 12 m., 12 to 10 m., 15 to	, 10 111.,	10 10 24 111.

AZAT DA Cantinus	Unit Pric 1-4	e in Qua 5-24	ntities 25-249
AZALEA—Continued			
Hatsugiri—Bright purple flowers, 15 to 18 in.; 18 to 24 in.; 2 to	2 ½ ft.;	2 ½ t	to 3 ft.
Pink Beauty—Single soft-pink flow			
15 to 18 in.; 18 to 24 in.; 2 to	2 ½ ft.;	2 ½ t	o 3 ft.
Pink Pearl—Salmon-rose flowers, 9 to 12 in.; 12 to 15 in.; 15 to	18 in.;	18 to	24 in.
Snow—Pure white 9 to	12 in.;	12 to	15 in.
Yayegiri-Salmon red flowers,			
15 to 18 in.; 18 to 24 in.; 2 to	2 1/2 ft.:	2 1/2 t	o 3 ft.
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	3.30	2.75	
2 to 2 ½ ft., B&B	4.10	3.50	
-ledifolia alba, 4'-6', large single			
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
— macrantha, 21/2'-3'	Red Sa	lmon .	Azalea
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B		1.90	
— mollis (molle) 4'-6'	Ch	inese .	Azalea
12 to 15 in., B&B	1.90	1.50	
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	4.10	3.50	2.75
— nudiflorum, 6'-8'	P	inxter	bloom
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.50	1.25 1.50	1.00
18 to 24 in., B&B	1.90	2.00	1.25
2 to 2½ ft., B&B	2.25	1.90	1.25 1.50
2½ to 3 ft., B&B	3.00	2.50	
— poukhanensis, 1'-3'			Azalea
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	1.90		1.25
18 to 24 in., B&B			
2 to 2½ in., B&B	3.75	3.00	2.50
— schlippenbachi, 6'-8'			Azalea
12 to 15 in., B&B	1.90	1.50	
15 to 18 in., B&B	2.75	2.25	
18 to 24 in., B&B 2 to 2½ ft., B&B	$\frac{3.30}{4.25}$	$\frac{2.75}{3.50}$	
— vaseyi, 5'-6'	Dink	chell	Azalea
		1.25	
12 to 15 in., B&B	1.50 2.25	1.25 1.90	1.00 1.50
18 to 24 in., B&B	2.60	$\frac{1.30}{2.25}$	
2 to 2½ ft., B&B		2.75	
72,			

IU FRINCEION NORSE	CATAS		
AZALEA Continui	Unit Pi	rice in Qu 5-24	antities 25-249
AZALEA—Continued			
— viscosa 4'-5'	1	Swamp	Azalea
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90		1.25
2 to 2½ ft., B&B	2.25	1.90	1.50
2½ to 3 ft., B&B	3.00	2.50	2.00
—yodogawa (yedoense) 3'-4'	Vo	dogawa	Azalea
12 to 15 in., B&B		1.25	
15 to 18 in., B&B	2 25	1 90	1.50
18 to 24 in., B&B	3.00	2.50 3.00 3.75	2.00
2 to 2½ ft., B&B	3.75	3.00	2.50
2 ½ to 3 ft., B&B	4.50	3.75	3.00
BACCHARIS halimifolia, 9'-10'		Ground	
2 to 3 ft		.30	
3 to 4 ft	.52	.45	.35
BENZOIN aestivale (LINDERA be	anzoin	10/-19	D.f
Dimzon aestivate (himbeaut o			cebush
2 to 3 ft	.37	.30	
3 to 4 ft	.52	.45	
4 to 5 ft	.70	.55	.45
BERBERIS—HARDY EVER	GREE	N TYP	ES
— julianae			
15 to 18 in., B&B	1.90	1.50	
18 to 24 in., B&B	2.40	2.00	
triacanthophora			
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B		1.25	1.00
15 to 18 in., B&B		1.50	1.25
BERBERIS—DECIDUOU	US TY	PES	
BERBERIS thunbergi, 4'5'	Japa	nese Ba	arberry
12 to 15 in.		.15	
15 to 18 in	.23		
18 to 24 in. 2 to 2½ ft.	.30 .37	.25	.20
2 to 2 ½ 1t	.51	.30	.40
— atropurpurea, 4'-5' Re	d Japa	nese Ba	arberry
12 to 18 in.	.25	.20	.17
15 to 18 in.	.33	.27	.22
18 to 24 in	.43	.35	.27
— — minor, 2'-3'		Box Ba	arberry
9 to 12 in	.20	.17	.14
12 to 15 in.	.27	.22	.18
15 to 18 in	.36	.30	.24
18 to 24 in	.45	.37	.30

	Unit Pric		
*BETULA alba, 30'-50' E	uropean	White	Birch
5 to 6 ft	1.10	.95	.75
6 to 8 ft.	1.50	1.25	1.00
8 to 10 ft	2.25	1.90	1.50
10 to 12 ft	3.00	2.50	2.00
	ıtleaf W	eeping	Birch
6 to 8 ft		1.90	1.50
8 to 10 ft., 1½ to 1½ in	3.40	$\frac{2.80}{3.75}$	
10 to 12 ft., 1½ to 2 in.	4.50	5.19	5.00
*— nigra		River	
6 to 8 ft	2.25	1.90	
8 to 10 ft	3.00	2.50	2.00
*— papyrifera, 40'-50'	Paper or	Canoe	Birch
5 to 6 ft	_	1.25	1.00
6 to 8 ft	2.25	1.90	
8 to 10 ft., 1 ½ to 1½ in	3.75	3.00	2.50
*— populifolia, 30'-40'		Gray	Birch
6 to 8 ft.	1.50	1.25	
8 to 10 ft., 1 1/4 to 1 1/2 in	2.25	1.90	1.50
10 to 12 ft., 1½ to 1¾ in	$\frac{3.00}{4.10}$	$\frac{2.50}{3.50}$	$\frac{2.00}{2.75}$
12 to 14 ft., 2 to 2½ in	5.25	4.40	3.50
BIGNONIA grandiflora, 25'-40' Ch	inese Tr	umpetc	reener
1 year		.30	
2 year	.52	.45	.35
- Mad. Gallen, 25'-40' (Scarlet)	Tru	ımpetc:	reeper
1 year	.37	.30	.25
2 year	.52	.45	.35
— radicans, 25'-40'	Trı	ımpetc:	reeper
1 year, heavy		.20	
2 year, heavy	.30		
BUDDLEIAS	Sprii	ng Flov	vering
- Alternifolio, 10'-12'			
— Farquhari, 5'-8'			Lilac
— Hartwegi, 4'-6'			Lilac
—Dubonnet, 4'-6'	R.e	eddish	
— Ile de France, 4'-6'		ep viole	
— Pink Charming, 4'-6'	20.	_	c pink
Above varieties at follow	ing pri		
18 to 24 in.	.30	.25	.20
2 to 3 ft.	.37	.30	.25
3 to 4 ft.	.45	.37	.30

EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE, PAGE 2.

	Unit Pric		antities 25-249
BUXUS sempervirens (bush form) 12'-15'	В	boowxo
8 to 10 in., B&B		.55	
10 to 12 in., B&B		.80	.65
— — suffruticosa, 3'-4'			Edging
4 to 6 in		.25	.20
8 to 10 in., B&B	1.10	.95	.75
CALLICARPA purpurea 3'-4'	Chinese	Beau	tyberry
18 to 24 in	.30	.25	.20
2 to 3 ft.	.37	.30	
3 to 4 ft	.52	.45	.35
CALYCANTHUS floridus, 4'-5'		Swee	etshrub
18 to 24 in.		.30	
2 to 3 ft	.52	.45	.35
CARAGANA arborescens, 10'-12	' Sibe	rian P	ea-tree
2 to 3 ft			.25
3 to 4 ft.	.45	.37	
4 to 5 ft	.52	.45	.35
CARPINUS caroliniana, 30'-40'	America	n Hor	nbeam
6 to 8 ft B&B	9.00		
8 to 10 ft., B&B	13.50	11.00	9.00
10 to 12 ft., B&B	18.00	15.00	12.00
CARYOPTERIS incana (mastacar	tha). 2'-	3'	
	,,,,		ebeard
15 to 18 in.		.30	
18 to 24 in	.52	.45	.35
CATALPA bignonioides nana (bu	mgei)		
(Ve		rella C	Catalpa
2 year heads, 5 to 6 ft. stem		1.90	
3 year heads, 5 to 6 ft. stem	3.00	2.50	2.00
— speciosa, 30'-50'			Catalpa
6 to 8 ft.		.75	.60
8 to 10 ft		1.10 1.50	
12 to 14 ft., 2 to 2½ in	3.00	$\frac{1.50}{2.50}$	
CEANOTHUS americana, 3'-4'			еу Теа
12 to 18 in.	.37	.30	
18 to 24 in	.45 .60	.37 .50	.30
2 CO 2 /2 IC	.00	.50	.10
CELASTRUS orbiculatus, 15'-20'	Oriental	Bitte	rsweet
2 year, 18 to 24 in	.30	.25	
2 year, 2 to 3 ft		.30	.25
— scandens, 20'-25'	American	Bitte	rsweet
2 year, 18 to 24 in.	.30	.25	.20

		ice in Qu 5-24	
CELTIS occidentalis, 50'-60'	1-1		kberry
5 to 6 ft	1.50		
6 to 8 ft.	$\frac{1.30}{2.25}$		
8 to 10 ft		$\frac{1.50}{2.50}$	2.00
10 to 12 ft	4.50		
CEPHALANTHUS occidentalis, 5'-	6'	Butte	onbush
18 to 24 in	.25	.20	.15
2 to 3 ft	.35	30	.22
3 to 4 ft	.45	.37	.30
CERCIDIPHYLLUM japonicum, 20	9'-30'	Katsu	ra-tree
4 to 6 ft., B&B	5.25	4.40	
6 to 8 ft., B&B	7.50	6.25	5.00
8 to 10 ft., B&B	11.00	9.50	
CERCIS canadensis, 12'-15'	A m	erican F	hudba 9
3 to 4 ft.	*****		
		.60 .95	
4 to 5 ft			
5 to 6 ft		1.25	
0 10 8 11	4.49	1.90	1.50
— chinensis, 10'-12'	CI	ninese F	Redbud
2 to 3 ft	1.00	80	65
3 to 4 ft			
4 to 5 ft.		1.50	

CHAMAECYPARIS—THE RETINOSPORAS

CHAMAECYPARIS pisifera, 25'-35'

	Sawara	Retino	ospora
12 to 15 in., B&B	.60	.50	.40
15 to 18 ft., B&B	1.00	.80	.65
18 to 24 in., B&B	1.35	1.10	.90
2 to 2½ ft., B&B	1.90	1.50	1.25
2½ to 3 ft., B&B	2.25	1.90	1.50
3 to 4 ft., B&B	3.40	2.80	2.25
4 to 5 ft., B&B	4.90	4.05	3.25



RETINOSPORA AT PRINCETON. We have quantities of sheared plants. Note attractive prices.

	Hada Dat	i- O	. 4 ' 4 '
		ce in Qua 5-24	
CHAMAECYPARIS—Continued			
——————————————————————————————————————		a Retino	spora
12 to 15 in., B&B	.60		.40
15 to 18 in., B&B	1.00	.80	.65
18 to 24 in., B&B		1.10	.90
2 to 2½ ft., B&B	1.90	1.50	1.25
2½ to 3 ft., B&B	2.25	1.90	1.50
3 to 4 ft., B&B 4 to 5 ft., B&B		$\frac{2.80}{4.05}$	2.25 3.25
1 00 0 10., 1000	1.00	1.00	0.20
— filifera, 15'-20'	Threa	d Retino	ospora
9 to 12 in., B&B	.60 .90	.50	.40
12 to 15 in., B&B	.90	75	.60
15 to 18 in., B&B	1.20	1.00	.80
18 to 24 in., B&B	1.80	1.00 1.50	1.20
—— aurea, 10'-12' Golden	Threa	d Retino	ngnora
12 to 15 in., B&B			_
15 to 18 in R&R	1.50	1.25	1.00
18 to 24 in B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.00	$\frac{1.90}{2.50}$	
— plumosa, 25'-35'		e Retino	-
12 to 15 in., B&B	.60	.50	.40
15 to 18 in., B&B	1.00	.80	.65
18 to 24 in., B&B		$\frac{1.10}{1.50}$	$\frac{.90}{1.25}$
2 1/2 to 3 ft., B&B		$\frac{1.50}{1.90}$	$\frac{1.25}{1.50}$
3 to 4 ft., B&B		2.80	2.25
4 to 5 ft., B&B			
, , , , , , , , , , , , , , , , , , , ,			
		e Retine	
12 to 15 in., B&B	.70	.55	.45
15 to 18 in., B&B		.90	.70
18 to 24 in., B&M		1.25	1.00
2 to 2½ ft., B&B	$\frac{2.10}{2.50}$	$\frac{1.75}{2.05}$	1.40 1.65
3 to 4 ft., B&B		3.00	2.50
4 to 5 ft., B&B			
——lutescens, 2½'-3' Yello	owplum	e Retin	ospora
9 to 12 in., B&B	.60	.50	
12 to 15 in., B&B	.90	.75	.60
18 to 24 in., B&B	2.00	1.70	
	2.00	2	
— squarrosa sulphurea, 20'-25'	3.5	D	
		s Retin	
12 to 15 in., B&B	.52	.45	.35
15 to 18 in., B&B	.75	.60	
18 to 24 in., B&B 2 to 2½ ft., B&B	$1.10 \\ 1.50$	$0.95 \\ 1.25$	
2½ to 3 ft., B&B	1.90	1.50	
72			
— — veitchi, 25′-30′		s Retin	
12 to 15 in., B&B	.60	.50	.40
15 to 18 in., B&B	.90	.75	.60
18 to 24 in., B&B		1.25	1.00 1.25
2 to 2½ ft., B&B 2½ to 3 ft., B&B	$\frac{1.90}{2.25}$	$1.50 \\ 1.90$	1.50
3 to 4 ft., B&B	3.00	2.50	2.00

CHAENOMELES japonica (See CYDONIA)

CHIONANTHUS virginicus, 15'-18'	Wł	nite Fring	getree
2 to 3 ft	.60	.50	.40
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.35	1.10	.90
5 to 6 ft	1.90	1.50	1.25
5 to 0 It	1.00	1.00	1.40
CLADRASTIS lutea (tinctoria), 30	'- 40 '	Yellow	wood
6 to 8 ft., B&B	3.75	3.00	2.50
8 to 10 ft., B&B	4.75	4.00	
10 to 12 ft., B&B	7.50	6.00	
CLEMATIS paniculata, 20'-25'			
	et Au	tumn Cle	matis
1 year	.30	.25	.20
2 year	.45		.30
z year	.49	.01	.00
CLETHRA alnifolia, 4'-5'		Summer	rewest
18 to 24 in.	.35	.30	.22
2 to 2½ ft	.45	.37	.30
2½ to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
COLUTEA arborescens, 8'-10'			
Com	mon	Bladder-	senna
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.10	
1 10 0 10,		.00	
CODNIE alba (sibirias) 8/ 10/			
CORNUS alba (sibirica), 8'-10'	Brai	nched Do	boows
18 to 24 in	.24		.16
	.30		.20
2 to 3 ft	.45	.37	.30
3 to 4 ft			.40
4 to 5 ft	.60	.50	.40
— alternifolia, 15'-18'		Blue Do	gwood
2 to 3 ft	.45		.30
3 to 4 ft	.60		.40
4 to 5 ft	.75		.50
5 to 6 ft	1.10		.75
0 00 10	1.10	.00	.10
— amomum (sericea), 8'-9'		Silky Do	gwood
0 1 0 01			
2 to 3 ft	.32	.27	.22
	.32		.22
2 to 3 ft		.35	

NURSERY-GROWN DOGWOOD

A G API OPI			
*— florida, 15'-25'	Vhiteflow	ering D	ogwood
2 to 3 ft	75	.60	.50
3 to 4 ft		1.00	.80
4 to 5 ft., B&B	3.40	2.80	2.25
5 to 6 ft., B&B	4.90	4.05	3.25
6 to 8 ft., B&B	7.50	6.25	5.00
8 to 10 ft., B&B		9.50	7.50
10 to 12 ft., B&B	15.00	12.50	10.00
*— florida rubra, 15'-20'	Redflow	ering D	ogwood
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft			1.50
4 to 5 ft., B&B		4.00	3.25
5 to 6 ft., B&B.	6.35	5.30	4.25
6 to 8 ft., B&B	8.50	y = 7.00	
8 to 10 ft., B&B	12.00	10.00	
*— kousa, 16'-18']	Kousa D	newood
· ·			
3 to 4 ft., B&B			2.25
4 to 5 ft., B&B	4.10	3.50	
5 to 6 ft., B&B	5.25		
6 to 8 ft., B&B	7.50	6.25	
*— — chinensis, 16'-18'	Chines	e Flg. D	ogwood
4 to 5 ft., B&B	5.25	4.40	3.50
5 to 6 ft., B&B			
- · · · · · · · · · · · · · · · · · · ·			
— mas, 20'-25'	C	ornelian	-cherry
· ·			
2 to 3 ft	75	.60	.50
3 to 4 ft	1.10		.75
4 to 5 ft	1.50		
5 to 6 ft	1.90	1.50	
— paniculata (racemosa) 10'-	12′	Gray D	ogwood
2 to 3 ft	30		ogwood
2 to 3 ft	30 45	.25	.20
2 to 3 ft	30 45	.25 .37	.20 .30
2 to 3 ft	30 45	.25 .37	.20 .30
2 to 3 ft	30 45	.25 .37	.20 .30
2 to 3 ft	30 45 70	.25 .37 .55	.20 .30 .45
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sanguinea, 8'-10'	30 45 70	.25 .37 .55	.20 .30 .45
2 to 3 ft	30 45 70	.25 .37 .55	.20 .30 .45
2 to 3 ft	30 45 70 Bloc 22	.25 .37 .55 dtwig D .20 .25	.20 .30 .45 ogwood .15 .20
2 to 3 ft	30 45 70 Bloc 22	.25 .37 .55 dtwig D .20 .25	.20 .30 .45 ogwood .15 .20
2 to 3 ft	30 45 70 Bloc 22	.25 .37 .55 dtwig D .20 .25	.20 .30 .45 ogwood .15 .20
2 to 3 ft	30 45 .70 Bloc 22 30 45	.25 .37 .55 dtwig D .20 .25 .37	.20 .30 .45 ogwood .15 .20 .30
2 to 3 ft		.25 .37 .55 dtwig D .20 .25	.20 .30 .45 ogwood .15 .20 .30
2 to 3 ft		.25 .37 .55 dtwig D .20 .25 .37	.20 .30 .45 ogwood .15 .20 .30
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. — stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft.		.25 .37 .55 dtwig D .20 .25 .37	.20 .30 .45 ogwood .15 .20 .30
2 to 3 ft		.25 .37 .55 dtwig D .20 .25 .37	.20 .30 .45 ogwood .15 .20 .30

	Unit Pric		25-249
CORNUS—Continued	1-7	3-24	25-249
— — lutea (flaviramea) 6'-7'	Yellowty	wig Do	gwood
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.55	.45
CORYLUS americana, 8'-9'	Americ	ean Ha	zelnut
5 to 6 ft		.95	.75
6 to 8 ft.	1.50	1.25	
COTONEASTER			
- acutifolia, 10'-12'	Peking	Coton	anatar
	_		
18 to 24 in.		.25	.20
2 to 3 ft	.37	.30	.25
- divaricata, 5'-6' S ₁	reading	Coton	easter
12 to 18 in., B&B		.60	.50
18 to 24 in., B&B	1.10	.95	.75
2 to 3 ft., B&B		1.25	1.00
	2.00	1.20	1.00
— francheti, 5'-6'	ranchet	Coton	easter
12 to 15 in., B&B	.75	.60	.50
15 to 18 in., B&B	1.10	.95	.75
18 to 24 in., B&B	1.50	1.25	1.00
- horizontalis (davidiana), 2'-3'	Rock	Coton	easter
	.90	.75	.60
9 to 12 in., pots	1.10	.95	.75
15 to 18 in., pots	1.50	1.25	1.00
13 to 18 III., pots	1.00	1.40	1.00
— microphylla, 2'-3'		Rock	spray
6 to 9 in., pots	.75	.60	.50
9 to 12 in., pots	1.00	.80	.65
12 to 15 in., pots	1.20	1.00	.80
— dielsiana, 6'-8'	Diels	Coton	easter
— foveolata, 6'-10'	Glossy	Coton	easte r
— frigida, 16'-18'	malayan	Coton	easter
	niwiw, wii	OUTUI	000000
— lindleyi, 8'			
- rotundifolia (buxifolia), 7'-8'			
	oundleaf	Coton	easter
11.16.11 401.401	11 7 0	Q - 4	4
— salicifolia, 10'-12' Wi	llowleaf	Coton	easter
— simonsi, 5'-6'	Simons	Coton	easter
,	ina		
(Above varieties at follow	ing pric	es)	
9 to 12 in., pots or B&B	.75	.60	.50
12 to 15 in., pots or B&B	1.00	.80	.65
15 to 18 in., pots or B&B	1.10	.95	.75

CRATAEGUS—Hawthorn

CRATAEGUS arnoldiana, 20'	Arn	old Haw	thorn
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft.	1.90	1.50	1.25
5 to 6 ft	2.25	1.90	1.50
	3.00	2.50	2.00
6 to 7 ft.			
7 to 8 ft	4.00	3.50	2.75
*— coccinea (intricata) 15'-20'	Thic	ket Haw	thorn
3 to 4 ft	1.90	1.50	1.25
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft.	3.40	2.80	2.25
	0120		
*- cordata (phaenopyrum) 12'-			
W	ashing	ton Haw	thorn
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft.	2.60	2.20	1.75
6 to 8 ft	3.40	2.80	
*— crusgalli, 15'	C.c	ckspur '	Thorn
3 to 4 ft	1.90	1.50	1.25
			1.50
4 to 5 ft	2.25	1.90	
5 to 6 ft.	3.00	2.50	2.00
6 to 7 ft	3.75	3.00	2.50
*— mollis, 15'	Dov	ny Haw	thorn
3 to 4 ft.	1.90	1.50	1.25
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	2.60	2.20	1.75
6 to 7 ft	3.40	2.80	2.25
*— oxycantha pauli, 12'-15' Paul	's Scar	let Haw	thorn
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.20	3.50	
- pyracantha lalandi (See PYRAC	ANTH	(A)	
		1	
CYDONIA japonica (chaenomeles			
	Flor	wering G	uince
12 to 18 in	.30	.25	.20
18 to 24 in.	.37	.30	.25
		.37	.30
2 to 3 ft	.45	.37	.50

DAPHNE cneorum,	12"-18"		Rose	Daphne
5 to 7 in		.75	.60	.50

	Unit Pr 1-4	ice in Qu 5-24	antities 25-249
DEUTZIA gracilis, 3'	SI	ender I	Deutzia
12 to 15 in	.24	.20	.16
15 to 18 in	.30	.25	.20
18 to 24 in.	.37	.30	.25
,	Rose Pa		
12 to 15 in		.20	
15 to 18 in	.30	.25	.20
- lemoinei, 4'-5'	Lei	moine I	Deutzia
18 to 24 in	.30	.25	.20
2 to 2½ ft		.37	.30
2½ to 3 ft	.55	.45	.35
— magnifica, 9'-10'		Flwd. I	
18 to 24 in	.22 .30	.20	.15 .20
2 to 3 ft		.25 .37	
0 00 110	.10	.01	•00
— scabra candidissima, 9'-10'	Snov	vflake I	Deutzi a
2 to 3 ft		.25	.20
3 to 4 ft		.37	.30
4 to 5 ft	.60	.50	.40
— — crenata fl. pl., 6'-8'	Double	Dink I)outrie
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft	.45	.37	
— Pride of Rochester, 9'-10'		Flwd. I	
18 to 24 in.		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft	.45 .60	.37	.30
4 10 5 11	.00	.00	.10
DIERVILLA sessilifolia (lutea),	4'-5'		
Southe	rn Bush	n-honey	rsuckle
18 to 24 in.		.25	
2 to 3 ft		.30	.25
3 to 4 ft	.52	.45	.35
— trifida, 3'-4' Dwa	rf Bush	n-honey	suckle
15 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
.of T lo			
ELAEAGNUS angustifolia, 15'-18	3'	Russia	n-olive
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.10	.95	.75

## Continued Unit Price in Quantities 1-4 5-24 25-249 ## ELAEAGNUS—Continued ELAEAGNUS—Continued ## Is to 24 in				
ELAEAGNUS—Continued — longipes (multiflora) 6'-8' Cherry Elaeagnus 18 to 24 in				
— longipes (multiflora) 6'-8' Cherry Elaeagnus 18 to 24 in		1-4	5-24	25-249
18 to 24 in55 .45 .35 .2 to 3 ft70 .55 .45 .35 .3 to 4 ft1.00 .80 .65 — umbellata, 8'-10' Autumn Elaeagnus .2 to 3 ft45 .37 .30 .3 to 4 ft60 .50 .40 .4 to 5 ft85 .70 .55 ENKIANTHUS campanulatus, 20'-25' Red Vein Enkianthus .3 to 24 in., B&B .2.25 .1.90 .55 .2 to 3 ft., B&B .3.00 .2.50 .2.00 .3 to 4 ft., B&B .3.75 .3.00 .2.50 .4 to 5 ft., B&B .5.20 .4.50 .3.50 EUONYMUS alatus, 9'-10' Winged Euonymus .18 to 24 in52 .45 .35 .2 to 3 ft52 .45 .35 .35 .3 to 4 ft90 .75 .4 to 5 ft1.25 .1.00	ELAEAGNUS—Continued			
2 to 3 ft	— longipes (multiflora) 6'-8'	Cheri	ry Ela	eagnus
2 to 3 ft	18 to 24 in.	.55	.45	.35
### Table 1.00				
2 to 3 ft			.80	.65
2 to 3 ft				
3 to 4 ft. .60 .50 .40 4 to 5 ft. .85 .70 .55 ENKIANTHUS campanulatus, 20'-25' Red Vein Enkianthus 18 to 24 in., B&B 2.25 1.90 1.50 2 to 3 ft., B&B 3.00 2.50 2.00 3 to 4 ft., B&B 3.75 3.00 2.50 4 to 5 ft., B&B 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. .52 .45 .35 2 to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 4 to 5 ft. 1.25 1.00	— umbellata, 8'-10'	Autum	n Ela	eagnus
ENKIANTHUS campanulatus, 20'-25' Red Vein Enkianthus 18 to 24 in., B&B 2.25 3.00 2.50 2.00 3 to 4 ft., B&B 3.75 4 to 5 ft., B&B 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. 2 to 3 ft. 2 to 3 ft. 3.5 2 to 3 ft. 3.5 2 to 3 ft. 3.5 3 to 4 ft. 3.5 4 to 5 ft. 4 to 5 ft. 4 to 5 ft. 5.5 5.60 5.60 5.7 5.7 5.60 5.7 5.7 5.60 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.7 5.7	2 to 3 ft	.45	.37	.30
ENKIANTHUS campanulatus, 20'-25' Red Vein Enkianthus 18 to 24 in., B&B.	3 to 4 ft	.60	.50	.40
Red Vein Enkianthus 18 to 24 in., B&B 2.25 1.90 1.50 2 to 3 ft., B&B 3.00 2.50 2.00 3 to 4 ft., B&B 3.75 3.00 2.50 4 to 5 ft., B&B 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. .52 .45 .35 2 to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 4 to 5 ft. 1.25 1.00	4 to 5 ft	.85	.70	.55
18 to 24 in., B&B 2.25 1.90 1.50 2 to 3 ft., B&B 3.00 2.50 2.00 3 to 4 ft., B&B 3.75 3.00 2.50 4 to 5 ft., B&B 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. .52 .45 .35 2 to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 .75 4 to 5 ft. 1.25 1.00	ENKIANTHUS campanulatus, 20'-	·25 ′ Red Veir	ı Enki	anthus
2 to 3 ft., B&B. 3.00 2.50 2.00 3 to 4 ft., B&B. 3.75 3.00 2.50 4 to 5 ft., B&B. 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. 52 .45 .35 2 to 3 ft75 .60 .50 3 to 4 ft90 .75 4 to 5 ft. 1.25 1.00	10 + 04 + D0D	0.05	1.00	1 50
3 to 4 ft., B&B. 3.75 3.00 2.50 4 to 5 ft., B&B. 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. .52 .45 .35 2 to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 4 to 5 ft. 1.25 1.00				
4 to 5 ft., B&B 5.20 4.50 3.50 EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in	2 to 3 It., B&B	3.00	2.50	2.00
EUONYMUS alatus, 9'-10' Winged Euonymus 18 to 24 in. .52 .45 .35 2 to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 4 to 5 ft. 1.25 1.00	3 to 4 it., B&B	5.(0)	1.50	2.50
18 to 24 in. .52 .45 .35 2 to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 4 to 5 ft. 1.25 1.00	4 to 5 It., D&B	5.20	4.00	5.00
2 to 3 ft	EUONYMUS alatus, 9'-10'	Winge	ed Euo	nymus
3 to 4 ft	18 to 24 in	.52	.45	.35
4 to 5 ft. 1.25 1.00 —	2 to 3 ft	.75	.60	.50
	3 to 4 ft	.90	.75	
5 to 6 ft. 1.75 1.50 ——				
0 00 0 20000000000000000000000000000000	5 to 6 ft	1.75	1.50	



EUONYMUS ALATUS
A beautiful shrub worthy of more attention. Makes a fine specimen and may also be used for screen and hedge planting. We have both regular and compact forms in quantity.

	Unit Price in Quantities 1-4 5-24 25-24			
EUONYMUS—Continued				
— — compactus, 4'-5'				
18 to 24 in	.70 .90 1.20 1.50	.55 .75 1.00 1.25	.45	
— americanus, 7'-8'	Bro	ok Euor	nymus	
18 to 24 in	.30 .37 .52	.25 .30 .45	.20 .25 .35	
- bungeanus, 12'-14' Win	iterb e r:	ry Euor	nymus	
3 to 4 ft	.45 .60 .75	.37 .50 .60	.30 .40 .50	
- fortunei radicans, climbing to		Winterc:	reeper	
6 to 9 in., 1 year 9 to 12 in., 2 year	.25 .30	.20 .25	.15 .20	
—— carrieri, 3'-4'	lossy V	Vinterci	eeper	
6 to 9 in., 1 year		.20 .25	.15 .20	
9 to 12 in., 2 year 12 to 15 in., 3 year	.30 .37	.30	.25	
— — colorata, 6'-12' Purplele	eaved V	Vinterci	eeper	
9 to 12 in., 2 year	.25 .30	.20 .25	.15 .20	
12 to 15 in., 3 year 15 to 18 in., 3 year	.37	.30	.25	
— — variegatus, 12"-15" Variegate	dleaf V	Vintercr	eeper	
6 to 9 in., 1 year	.22	.20	.15	
9 to 12 in., 2 year	.30	.25	.20	
—— vegetus, 3'-4'	gleaf V	Vintercr	eeper	
6 to 9 in., 2 year	.37	.30	.25	
9 to 12 in., 2 year		.45 55	.35 .45	
— patens (kiantschovicus) 6'-8'	preadi	ng Euon	vmus	
9 to 12 in	.30	.25	.20	
12 to 15 in.	.45	.37	.30	

EXOC	но	RI	OA grandiflora (r	acemo	sa) 6'-	9'	
					Comm	on Pear	lbush
2	to	3	ft		.37	.30	.25
3	to	4	ft		.55	.45	.35
4	to	5	ft		.70	.55	.45

FAGUS americana (grandifolia)	75'-10	O'	
rades americana (grandiona)		merican	Beech
8 to 10 ft., B&B	12.00	10.00	8.00
10 to 12 ft., B&B	16.50	13.50	11.00
12 to 14 ft., B&B	18.00	15.00	
— sylvatica, 75'-100'	F	duropean	Beech
3 to 4 ft., B&B		2.75	2.25
4 to 5 ft., B&B		3.75	3.00
5 to 6 ft., B&B		5.50	4.50
6 to 8 ft., B&B	10.50	9.00	7.00
8 to 10 ft., B&B		12.50	10.00
10 to 12 ft., B&B	22.50	19.00	15.00
— — asplenifolia, 20'-30'		Fernleaf	Beech
2 to 3 ft., B&B			2.50
3 to 4 ft., B&B			3.50
— — pendula, 25'-40'		Weeping	Reach
2 to 3 ft., B&B			
3 to 4 ft., B&B			
5 to 4 It., D&D	0.20	1.10	0.00
\mathbf{p}_{ij}	Troma Ti		Dooch
		luropean	
3 to 4 ft., B&B	4.50		
3 to 4 ft., B&B	4.50 5.50	_	
3 to 4 ft., B&B	4.50 5.50		
3 to 4 ft., B&B	4.50 5.50	_	
3 to 4 ft., B&B	4.50 5.50 7.00	_	Ý
3 to 4 ft., B&B	4.50 5.50 7.00	order For	rsythia .15
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30	20 .25	rsythia .15 .20
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55	.20 .25 .37	rsythia .15 .20 .30
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60	.20 .25 .37	rsythia .15 .20 .30 .40
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60	.20 .25 .37	rsythia .15 .20 .30
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .222 .30 .55 .60	.20 .25 .37 .50	rsythia .15 .20 .30 .40 .50
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75	20 .25 .37 .50 .60	rsythia .15 .20 .30 .40 .50
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo	20 .25 .37 .50 .60	rsythia .15 .20 .30 .40 .50 rsythia .15
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30	20 .25 .37 .50 .60 rder Foi	rsythia .15 .20 .30 .50 rsythia .15 .20
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30 .55	20 .25 .37 .50 .60 erder For .20 .25 .37	rsythia .15 .20 .30 .40 .50 rsythia .15 .20 .30
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30	20 .25 .37 .50 .60 rder Foi	rsythia .15 .20 .30 .50 rsythia .15 .20
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30 .55	20 .25 .37 .50 .60 rder Foi .20 .25 .37	rsythia .15 .20 .30 .40 .50 rsythia .15 .20 .30 .40 .50
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30 .55 .70 .85	20 .25 .37 .50 .60 erder For .20 .25 .37 .55	rsythia .15 .20 .30 .40 .50 rsythia .15 .20 .30 .45 .55
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30 .55 .70 .85	20 .25 .37 .50 .60 rder Foi .20 .25 .37 .55 .70	rsythia
3 to 4 ft., B&B	4.50 5.50 7.00 Bo .22 .30 .55 .60 .75 wy Bo .22 .30 .55 .70 .85	20 .25 .37 .50 .60 erder For .20 .25 .37 .55	rsythia .15 .20 .30 .40 .50 rsythia .15 .20 .30 .45 .55

	Unit Pri	ce in Quan	tities
TIOTICAL COLUMN	1-4	5-24	25-249
FORSYTHIA—Continued			
— suspensa, 4'-6'	Weep	ing Fors	ythia
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
— — fortunei, 7'-8'	Forti	ine Fors	vthia
2 to 3 ft	.30	.25	.20
3 to 4 ft.	.45	.37	.30
4 to 5 ft.			.40
		em Fors	ythia
2 to 3 ft		.25	.20
3 to 4 ft		.37	.30
4 to 5 ft	.60	.50	.40
FRAXINUS americana, 70'-80'		Whit	A Δgh
6 to 8 ft	1.10	.95	.75
8 to 10 ft		1.50	1.25
8 to 10 ft., 1¼ to 1½ in		1.90	1.50
10 to 12 ft., 1½ to 1¾ in	3.00	$\frac{1.50}{2.50}$	2.00
12 to 14 ft., 1 ¾ to 2 in	3.75	3.00	
		0.00	
- lanceolata (pennsylvanica) 40'	'-60'	Gree	n Ash
8 to 10 ft	1.90	1.50	1.25
8 to 10 ft., 1¼ to 1½ in		1.90	1.50
10 to 12 ft., 1½ to 1¾ in	3.00	2. 50	2.00
∗{ G }*			
CENTOMA Almatania of		337	
GENISTA tinctoria, 3'	4 =	Woady	
2 to 3 ft		.37	
3 to 4 ft		.45	.35
4 to 5 ft	.70	.55	.45
GINKGO biloba (Salisburia), 50	reservation	idonhoi	n tnoo
6 to 8 ft	3.00	2.50	$2.00 \\ 2.50$
8 to 10 ft	3.75	3.00 3.75	2.00
8 to 10 ft., 1½ to 1½ in	4.50 6.00 7.50	5.10	
10 to 12 ft., 1½ to 1¾ in	0.00	5.00 6.25	$\frac{4.00}{5.00}$
10 to 12 ft., 134 to 2 in	10.00	8.00	3.00
12 to 14 ft., 2 to 21/4 in	10.00	8.00	
GLEDITSIA triacanthos, 60'-70'			
	Commo	n Honey	locust
4 to 6 ft		.95	.75
6 to 8 ft		1.25	1.00
8 to 10 ft.	$\frac{1.50}{2.60}$	$\frac{1.20}{2.20}$	1.75
10 to 12 ft., 1½ to 1¾ in	3.00	2.50	2.10
-/2			
—— inermis, 60'-70'	hornles	s Honey	locust
—— inermis, 60'-70' T 4 to 6 ft		s Honey	1.00
4 to 6 ft	1.50 2.25	$\frac{1.25}{1.90}$	$1.00 \\ 1.50$
4 to 6 ft	$ \begin{array}{ccc} 1.50 \\ 2.25 \\ 3.00 \end{array} $	1.25	1.00

Unit Price in Quantities

	Unit Pric		
	1-4	5-24	25-249
GYMNOCLADUS dioicus, 40'-50'			
, and a second s	Kentucl	ky Cof	feetr e e
5 to 6 ft	1.90	1.50	1.25
6 to 7 ft		1.90	1.50
7 to 8 ft		2.50	2.00
8 to 10 ft.		3.00	2.50
10 to 12 ft.		3.75	3.00
HALESIA tetraptera (carolina) 1			
	Gre	eat Sil	verbell
3 to 4 ft	.52	.45	
4 to 5 ft	.90	.75	
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.40	2.00	
HAMAMELIS virginiana, 10'-12'			
	Common	Witch	-hazel
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft.	.60	.50	.40
4 to 5 ft.	.90	.75	.60
5 to 6 ft.	1.20	1.00 /	
HEDERA colchica dentata, 20'-50	0'		
,		Engli	sh Ivy
12 to 15 in., 4 in. pots	.37	.30	.25
— helix (hardy strain) 20'-50'			sh Ivy
12 to 15 in., 2½ in. pots	.15	.12	.10
15 to 18 in., 3 in. pots	.30	.25	.20
— — baltica, 15'-25'	Hardy	_	
1 year, 2 in. pots	.22	.20	.15
— — pedata			

HIBISCUS syriacus (Althea), 10'-12' Shrub-althea Ardens, double rose violet.

.30

.25

.20

Comte de Haimont, double pink, white mottled.

Elegantissimus, double, bluish-white-red center.

Jeanne d'Arc, double white.

Lucy, double rose red.

Puniceus Plenus, semi-double rose.

Purpureus plenus, double purple.

12 to 18 in., 2 in. pots.....

Totus Albus, single white.

2	to	3	ft	.30	.25	.20
			ft	.45	.37	.30
4	to	5	ft	.60	.50	.40
5	to	6	ft	.75	.60	.50

		e in Quar	
HIBISCUS—Continued	1-4	5-24	25-249
and the second s			
- coelestis, blue.			
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
1 00 0 10	.10	.00	.00
- Variegata, 6'-8' Variegated le	aved Ro	se-of-Sl	haron
2 to 3 ft			.30
3 to 4 ft	.60		
0 to 1 tt.	.00	.00	.40
HYDRANGEA arborescens, 6'	Smoot	h Hydra	angea
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.5 0	.40
- grandiflora alba (sterilis), 4'-	5′		
	Snowhi	ll Hydra	angea
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— paniculata (type), 8'-9'	Panicl	e Hydra	angea
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
		•••	***
114 01.01	D	. TTJ	
— grandiflora, 8'-9'		e Hydra	_
18 to 24 in.	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
——— standards		e Hydra	
3 to 4 ft	1.05	.85	.70
— quercifolia, 3'-4'	Oaklea	f Hydra	angea
18 to 24 in.	.52	.45	.35
2 to 3 ft	.70	.55	.45
HYPERICUM aureum (frondosum	1 41.61		
	olden S	t. Johns	swort
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
densiferum 4/ 5/			
— densiflorum, 4'-5'			
18 to 24 in.	.30	.25	.20
2 to 3 ft	.37	.30	.25
— kalmianum, 4'-6'	Kalr	n Hypei	icum
2 to 3 ft.	.37	.30	.25
3 to 4 ft	.45	.37	.30
- moserianum, 2'		Goldfi	lower
	0.77	G O I G I	
12 to 15 in	.37	.30	.25

-0(-)0-			
ILEX crenata, 8'-10'	Л	apanese	Holly
12 to 15 in., B&B		.95	
15 to 18 in R&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	$\frac{1.25}{1.90}$	1.50
2 to 2 ½ ft., B&B	3.00	2.50	2.00
2½ to 3 ft., B&B	4.10	3.50	2.75
——————————————————————————————————————	Conve	x leaved	Holly
12 to 15 in., B&B	1.90	1.50	1.25
10 (0 10 111, 1502)	2		
— — microphylla, 6'-8' Litt	lalant '	Iananese	Holly
2 0 7		1.25	
12 to 15 in., E&B	$\frac{1.50}{1.90}$		$\frac{1.00}{1.25}$
18 to 24 in., B&B	2.60		1.75
2 to 2 ½ ft., B&B	$\frac{2.00}{3.75}$		2.50
2 (0 2 72 It., D&D	0.10	3.00	2.00
-1-1 7/0/		To 1	-h
— glabra, 5'-6'	0.00		cberry
18 to 24 in., B&B	3.00		2.00
2 to 2½ ft., B&B	$\frac{3.75}{4.50}$	$\frac{3.00}{3.75}$	2.50 3.00
2½ to 3 ft., B&B	4.50	9.19	3.00
— opaca, 45'-50'	Δ	merican	Holly
3 to 4 ft., B&B			
4 to 5 ft., B&B	5 25	3.50 4.40 5.50	3.10
5 to 6 ft., B&B	6.75	5.50	0.00
6 to 7 ft. B&B	9.00	7.50	·
Selected Berried Plants 25			
	,~		
— serrata (seigoldi) 8'-14'	Fir	ne Tooth	Holly
2 to 3 ft	.85		
3 to 4 ft.	1.10	.95	.75
4 to 5 ft.	1.50	1.25	1.00
— verticillata (prinos) 6'-8'		Winte	rberry
2 to 3 ft	.45		.30
3 to 4 ft	.70	.55	.45
4 to 5 ft.		.75	.60
.5 to 6 ft.	1.10	.95	
ITEA virginica, 3'-4'		Swe	etspire
18 to 24 in	.37	30	25
2 to 3 ft.	.52	.45	.25
	.0.		.00
of T)o.			
			
JASMINUM nudiflorum, 8'	~	171 m A T	
		Vinter Ja	
12 to 18 in			.20
18 to 24 in.	.37		
2 ₅ to 3 ft	.52	.45	.55
JUGLANS nigra, 80'-100'		Black V	Valnut
	4 00		4 41

1.90

2.60

 $\begin{array}{ccc}
1.50 & 1.25 \\
2.20 & 1.75
\end{array}$

6 to 8 ft.

6 to 8 ft. 8 to 10 ft.

	Unit Pri	ice in Qua 5-24	25-249
JUNIPERUS chinensis, 15'-20'	Cl	ninese J	uniper
2 to 2½ ft., B&B 2½ to 3 ft., B&B 3 to 4 ft., B&B 4 to 5 ft., B&B 5 to 6 ft., B&B	1.90 2.60 3.75 5.25 7.50	1.50 2.20 3.00 4.40 6.25	1.25 1.75 2.50 3.50 5.00
	leaf Ch	inese J	unip r
18 to 24 in., B&B	2.25	1.25 1.90 2.80	1.00 1.50 2.25
columnaris (pyramidalis) 15 Blue Colum	5 '20' nnar Ch	inese J	unin r
2 to 3 ft., B&B		2.50	2.00
3 to 4 ft., B&B	$\frac{4.50}{6.00}$	$\frac{3.75}{5.00}$	$\frac{3.00}{4.00}$
— — columnaris viridis, 15'-20' Green Colu	umn Ch	inese J	uniper
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	$\frac{4.50}{6.00}$	$\frac{3.75}{5.00}$	$\frac{3.00}{4.00}$
6 to 7 ft., B&B	9.00	7.50	6.00
— — keteleeri, 15'-18'	Kete	leer Re	dcedar
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	$\frac{6.00}{7.50}$	$\frac{5.00}{6.25}$	$\frac{4.00}{5.00}$
6 to 7 ft., B&B	9.00	7.50	6.00
7 to 8 ft., B&B	11.00	9.50	7.50
— — pfitzeriana, 5'-6'	P	fitzer J	uniper
12 to 15 in., B&B	1.00	$\frac{.80}{1.25}$.65
15 to 18 in., B&B	$\frac{1.50}{2.25}$	$\frac{1.25}{1.90}$	$\frac{1.00}{1.50}$
2 to 2½ ft., B&B	3.00	2.50	2.00
2½ to 3 ft., B&B	$\frac{3.75}{5.25}$	$\frac{3.00}{4.40}$	$\frac{2.50}{3.50}$
— — sargenti (green), 1½'	Sa	rgent J	uniper
15 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B	2.60 3.40	2.20 2.75	1.75 2.25
— sylvestris (oblonga) 8'-10'			
12 to 15 in., B&B	.75	.60 .95	.50 .75
15 to 18 in., B&B	$1.10 \\ 1.50$	$\begin{array}{c} .95 \\ 1.25 \end{array}$	1.00
2 to 3 ft., B&B	2.25	1.90	1.50
3 to 4 ft., B&B	3.00	2.50	2.00

	Unit Price in Quantities				
		5-24			
JUNIPERUS—Continued					
— communis, 15'-25'	Cor	nmon Ju	niper		
18 to 24 in., B&B	1.50	1.25	1.00		
2 to 21/2 ft., B&B	1.90	1.50	1.25		
2½ to 3 ft., B&B	2.25	1.90	1.50		
	~	. 1 1			
— communis aurea, 6'-10'	G	olden Ju			
15 to 18 in., B&B	1.10	.95 1.50 2.20	$\frac{.75}{1.25}$		
18 to 24 in., B&B	2.60	$\frac{1.50}{2.20}$	$\frac{1.25}{1.75}$		
2 (0 2 /2 1t., D&D	2.00	2.20	1.10		
— — canadensis (depressa) 5'-6'	Ca	anada Ji	iniper		
18 to 24 in., B&B	1.50	1.25	1.00		
2 to 2½ ft., B&B	2.00	1.70	1.35		
2½ to 3 ft., B&B	2.60	2.20	1.75		
— — hibernica, 20'-30'		Irish Ju	ıniper		
15 to 18 in., B&B	.90	.75	.60		
18 to 24 in., B&B	1.20	1.00	.80		
2 to 2½ ft., B&B	1.50	1.25 1.50			
2½ to 3 ft., B&B	1.90	1.50	1.25		
— — suecica, 20'-30'	Sw	edish Ju	ıniper.		
15 to 18 in., B&B		.90	.70 .90		
18 to 24 in., B&B	1.35	1.10	.90		
2 to 2½ ft., B&B	1.90	1.50	1.25		
— excelsa stricta, 10'-12'		Creek J	uniper		
9 to 12 in., B&B	.75	$ \begin{array}{c} .60 \\ .90 \\ 1.10 \end{array} $.50		
12 to 15 in., B&B	1.05	.90	.70 .90		
18 to 24 in., B&B	1.90	1.50			
15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	2.60	$\frac{1.50}{2.20}$	1.75		
- horizontalis (sabina prostrata	horizontalis (sabina prostrata) 1'-1½' Creeping Savin Juniper				
15 to 18 in., B&B	1.50	1.25	1.00		
15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	2.00	1.70	1.35		
2 to 2½ ft., B&B	2.60	2.20	1.75		
— — depressa plumosa Plum					
12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	.75	.60	.50		
15 to 18 in., B&B	1.10	.95	.75		
2 to 24 ft D&D	$\frac{1.90}{2.60}$				
2 to 2½ ft., B&B 2½ to 3 ft., B&B	3.00	$\frac{2.20}{2.50}$	1.75		
—— douglasi, 1'-11/2'		kegan J	uniper		
15 to 18 in., B&B	1.50	1.25			
18 to 24 in., B&B		$\frac{1.50}{2.00}$	***************************************		
72 20, 1001	2.00	2.00			
— — hudsonica, 1'-1½'		udson J	uniper		
15 to 18 in., B&B		1.25	1.00		
18 to 24 in., B&B	1.90	1.50	1.25		
2 to 2½ ft., B&B	2.25	1.90	1.50		

	-		
	Unit P	rice in Qua	ntities
	1-4	5-24	25-249
JUNIPERUS—Continued			
JUNITERUS—Continued			
— japonica, 6'-8'	Jaj	panese Ju	ıniper
12 to 15 in., B&B	.85	.70	.55
15 to 18 in., B&B	1.10	.95	.75
18 to 24 in., B&B	1.90	1.50	1.25
2 to 2½ ft., B&B		1.90	
2 to 2 ½ 1t., B&B	2.25	1.90	1.50
		~	
— sabina, 6'-7'		Savin Ju	miper
9 to 12 in., B&B	.75	.60	.50
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.50	1.25	1.00
	1.90	1.50	1.25
18 to 24 in., B&B		1.90	
2 to 21/4 ft., B&B	2.25	1.90	1.50
— — tamariscifolia	Ta	ımarix Jı	iniper
9 to 12 in., B&B	.75	.60	.50
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.50	1.25	1.00
	$\frac{1.50}{2.25}$	1.90	1.50
18 to 24 in., B&B	4.40	1.90	1.90
		7.5	
— squamata meyeri, 3'-4'		Meyer Ju	ınıper
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B	2.60	2.20	1.75
2 to 2½ ft., B&B	3.00	2.50	1.10
2 to 2/2 it., D&D	0.00	2.00	
		T) - i	1 1
— virginiana, 35'-50'		Rec	lcedar
2 to 3 ft., B&B	1.50	1.25	1.00
3 to 4 ft. B,&B	3.00	2.50	2.00
4 to 5 ft., B&B	4.50	3.75	3.00
5 to 6 ft., B&B	6.00	5.00	4.00
5 to 0 It., D&D	0.00	0.00	4.00
1 1 407 407		15	
burki, 10'-12'		Burks Ju	imper
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B	7.50	6.25	5.00
6 to 7 ft., B&B	10.00	8.00	6.50
0 to 1,1t., D&B	10.00	0.00	0.00
— — cannarti, 12'-15'	Can	mart Red	lcedar
18 to 24 in., B&B	1.50	1.25	1.00
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B	7.50	6.25	5.00
6 to 8 ft., B&B	9.00	7.50	
8 to 10 ft., B&B	12.50	10.00	
— — elegantissima, 12'-15'	Co	ldtin Dod	laadam
		ldtip Red	
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	2.25	1.90	1.50
2½ to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	3.75	3.00	2.50
4 to 5 ft., B&B	5.25	4.40	3.50
2 00 0 201, 2000	0.20	1.10	0.00
— — glauca, 15'-20'	S	ilver Red	lcedar
2 to 3 ft., B&B	2.60	2.20	1.75
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B			
	7.50	6.25	5.00
6 to 7 ft., B&B	9.00	7.50	

30 PRINCETON NUL	RSERIES				
	Unit Pri 1-4	Unit Price in Quantities 1-4 5-24 25-249			
JUNIPERUS—Continued					
— — pyramidalis, 35'-50'	Pyram	idal Re	dcedar		
2 to 2½ ft., B&B	2.25	1.90	1.50		
2½ to 3 ft., B&B	3.00	2.50	2.00		
3 to 4 ft., B&B 4 to 5 ft., B&B		$\frac{3.75}{5.00}$	3.00 4.00		
1 00 0 10, 505		0.00	1.00		
—— schotti, 12'-15'		hott Re			
18 to 24 in., B&B 2 to 3 ft., B&B		$\frac{1.25}{2.50}$	$\frac{1.00}{2.00}$		
3 to 4 ft., B&B		3.75	3.00		
4 to 5 ft., B&B		5.00	4.00		
5 to 6 ft., B&B 6 to 8 ft., B&B		6.25 7.50	5.00		
5 to 6 It., D&B	3,00	1.00	٠		
{ K }	-				
KALMIA latifolia, 8'-10'	Mc	untain	-laurel		
Heavy Nursery Gro			idd: 01		
15 to 18 in., B&B	_	1.50	1.25		
18 to 24 in., B&B	2.60	$\frac{1.30}{2.20}$	1.75		
2 to 2½ ft., B&B	3.40	2.80	2.25		
KOELREUTERIA paniculata, 2 (also called Panicled G			ishtree		
3 to 4 ft	1.10	.95	.75		
4 to 5 ft		1.25	1.00		
5 to 6 ft		$\frac{1.90}{2.50}$	$\frac{1.50}{2.00}$		
0 00 0 200					
KOLKWITZIA amabilis, 6'-8'		Beau	tybush		
18 to 24 in.		.37	.30		
2 to 3 ft. 3 to 4 ft.	60 75	.50 .60	.40		
5 to 4 It		.00	.90		
LABURNUM vulgare (anagyroi	ides) 25'-	30' Golde:	nchain		
5 to 6 ft.		1.75			
6 to 8 ft 8 to 10 ft.		$\frac{2.50}{3.50}$			
8 tu 10 1t.	4.10	5.50			
LARIX leptolepis (Kaempferi),		panese	Larch		
4 to 5 ft., B&B		4.40	3.50		
5 to 6 ft., B&B	6.75	5.50			
6 to 8 ft., B&B	9.00	7.50			

	Unit Price in Quantities 1-4 5-24 25-249		
LESPEDEZA formosa, 8'-10'	Pui	rple Busl	hclover
1 year	.30	.25	.20
2 vear	.37	.30	.25
3 year	.52	.45	.35
LEUCOTHOE catesbaei, 3'-4'	Droo	ping Lev	cothoe
12 to 15 in., B&B		1.25	1.00
15 to 18 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
LIGUSTRUM amurense, 14'-15'		Amur	Privet
12 to 18 in.	.09		
18 to 24 in.	.12	.10	
2 to 3 ft.	.15	.12	
3 to 4 ft.	.22	.20	.15
— ibolium, 8'-10'		Ibolium	Privet
12 to 18 in.	.08	.06	.05
18 to 24 in.			.06
2 to 3 ft.	.12	.10	.08
3 to 4 ft			.12
— ibota, 9'-10'		Ihota	Privet
12 to 18 in.	.15	.12	
18 to 24 in.	.13	.20	
2 to 3 ft.		.25	
3 to 4 ft.			.25
— — regelianum (obtusifolium re	oel)	5'-6'	
— regermani (obousionam re	501.)		Privet
True spreading type fro	m cu	ttings	
12 to 18 in	.22	.18	.15
18 to 24 in	.33	.28	.22
2 to 2½ ft		.37	.30
21/2 to 3 ft.		.50	.40



Ligustrum ovalifolium (California Privet) is uniformly heavy, having been cut back after the first year.

White Belle Honeysuckle

.30 .45 .60 .25 .37 .50 .20 .30 .40

Ŧ	TOI	TIME	Can	tinued
			-0011	unueu

—lucidum (macrophyllum), 20'-2	5′	Glossy I	Privet
15 to 18 in., pots	.75	.60	.50
15 to 18 in., pots	1.10	.95	.75
— ovalifolium, 12'-15'	Ca	lifornia l	Privet
Heavy 2 and 3 year cut 1	oack s	tock	
19 to 19 in	.08	.06	0.5
12 to 18 in	.09	.07	.05
2 to 3 ft.	.12	.10	.08
3 to 4 ft	.15	.12	.10
4 to 5 ft	.30	.25	.20
5 to 6 ft	.55	.45	.35
3 to 6 ft	.00	.40	•99
- ovalifolium aureum (variegatu	· · · · · · · · · · · · · · · · · · ·	2. Q/	
- ovamonum aureum (variegati	un) e	Golden	Privet
12 to 18 in	.22	.20	.15
18 to 24 in.	.30	.25	.20
— vulgare, 10'-12'	E	uropean i	Priver
12 to 18 in	.15	.12	.10
18 to 24 in.	.22	.20	.15
2 to 3 ft	.30		.20
*LIQUIDAMBAR styraciflua, 50'-	60′	Swee	etgum
4 to 6 ft	1.50	1.25	1.00
6 to 8 ft.	2.60	2.20	1.75
8 to 10 ft.	3.75	3.00	2.50
9 to 11 ft., 1½ to 2 in.	4.90	4.00	3.25
9 to 11 ft., 1½ to 2 in. 10 to 12 ft., 2 to 2¼ in.	6.00	5.00	4.00
11 to 13 ft 21/ to 21/ in	7.50	6.25	5.00
12 to 14 ft., 2½ to 3 in	9.00	7.50	
*LIRIODENDRON tulipifera, 60%	-80′	Tul	iptree
5 to 6 ft	1.10	.95	.75
6 to 8 ft.	1.90	1.50	1.25
S to 10 ft	2.25	1.90	1.50
8 to 10 ft., 11/4 to 11/2 in	3.00	2.50	2.00
10 to 12 ft., 1½ to 1¾ in.	3.75	3.00	2.50
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25	4.40	3.50
13 to 16 ft., 21/2 to 3 in	7.50	6.25	5.00
13 to 16 ft., 2½ to 3 in	9.00	7.50	
LONICERA bella albida, 8'-9'			

2 to 3 ft. 3 to 4 ft. 4 to 5 ft.

LONI	CERA-	-Con	tinued
------	-------	------	--------

— fragantissima, 6'-8'	Winter	Honeysu	ckle
18 to 24 in	.24	.20	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft		.37	.30
4 to 5 ft	.60	.50	.40
—maacki podocarpa, 8'-9'	Amur	Honeysu	ckle
3 to 4 ft		.37	.30
4 to 5 ft		.50	.40
5 to 6 ft	.75	.60	.50
— morrowi, 7'-8'	Morrow	Honeysu	ckle
18 to 24 in	.24	.20	.16
2 to 3 ft.		.25	.20
3 to 4 ft.		.37	.30
	**0		.00
— ruprechtiana, 8'-9' Man	churian	Honeysu	ckle
2 to 3 ft		.25	.20
3 to 4 ft		.37	.30
4 to 5 ft	.60	.50	.40
— tatarica alba, 9'-10' White T	Tatarian		ckle
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft		.50	.40
5 to 6 ft	.75	.60	.50
— — pulcherrima, 9'-10'			
Bright Red T	atarian	Honevsu	ck'e
18 to 24 in.		.25	.20
2 to 3 ft		.30	.25
3 to 4ft		.45	.35
5 10 410	.02	.10	.00
—— rosea, 9'-10' Pink 7	Րatari <mark>an</mark>	Honeysu	ckle
18 to 24 in.		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft		.37	.30
4 to 5 ft.	.60	.50	.40
- xylosteum, 9'-10' Europ	ean Fly	Honeysu	ckle
18 to 24 in.		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft		.37	.30
4 to 5 ft.		.60	.50

HONEYSUCKLE—VINES

18 to 24 in., 1 year	— heckrotti	Everblooming Honey	suckle
· · · · · · · · · · · · · · · · · · ·			.25

Unit Price	e in Qu	antities
1-4	5-24	25-249

LONICERA—Continued			
halliana, 15'-25' Hall Ja	panese	Honeys	uck'e
1 year, 21/4 in. Pots	.18	.15	.12
- sempervirens punicea Oran	ge Red	Honeys	uckle
2 year	.37	.30	
3 year	.52	.45	.35
LYCIUM chinense, 10'-12' Chin	ese Ma	trimony	-vine
18 to 24 in.	.24	.20	.16
2 to 3 ft	3.0	25	20

MACLURA pomifera		Osage O	range
6 to 8 ft	1.10	.95	.75
8 to 10 ft	1.50	1.25	1.00
MAGNOLIA conspicua (denudata)			
	Y	ulan Ma	gnolia
3 to 4 ft., B&B	4.50	3.75	
4 to 5 ft., B&B	6.00	5.00	
5 to 6 ft., B&B	9.00	7.50	
— glauca (virginiana) 15'-20'		Swe	etbay
3 to 4 ft., B&B	3.00	2.50	2.00
4 to 5 ft., B&B	4.50	3.75	3.00
5 to 6 ft., B&B	6.00	5.00	0.00
6 to 8 ft., B&B.	7.50	6.25	5.00



Regals Privet, we grow the true spreading type from cuttings, there are no better grown. See page 31.

MAGNOLIA—Continued

kobus, 20'-30'	K	obus Ma	gnolia
3 to 4 ft., B&B	3.75	3.00	2.50
4 to 5 ft., B&B	5.25	4.40	3.50
5 to 6 ft., B&B	6.75	5.50	4.50
6 to 8 ft., B&B	8.00	6.75	5.50
— soulangeana, 15'-18'	Sa	ucer Ma	gnolia
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.90	4.05	3.25
4 to 5 ft., B&B	6.75	5.50	4.50
5 to 6 ft., B&B	7.50	9.00	6.00
6 to 8 ft., B&B	12.00	10.00	
— — alba superba, 15'-18' La — — alexandrina, 15'-18'		ucer Ma nder Ma	
— — lennei, 15'-18'	L	enne Ma	gnolia
· ·	rple Sa	ucer Ma	_
2 to 3 ft., B&B	3.75	3.00	2.50
2 to 3 ft., B&B	3.75 4.90	3.00 4.05	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00	3.00 4.05 5.00	2.50
2 to 3 ft., B&B	3.75 4.90 6.00 8.50	3.00 4.05 5.00 7.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50	3.00 4.05 5.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50	3.00 4.05 5.00 7.00 9.00	2.50
2 to 3 ft., B&B	3.75 4.90 6.00 8.50	3.00 4.05 5.00 7.00	2.50
2 to 3 ft., B&B	3.75 4.90 6.00 8.50	3.00 4.05 5.00 7.00 9.00	2.50
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50	3.00 4.05 5.00 7.00 9.00 Star Ma	2.50 3.25 ———————————————gnolia
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50	3.00 4.05 5.00 7.00 9.00 Star Ma	2.50 3.25 ———————————————gnolia
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00 10.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00 10.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00 15.00	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00 10.00	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00 15.00	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00 10.00 12.50	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00 15.00 Umb	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00 10.00 12.50	2.50 3.25
2 to 3 ft., B&B	3.75 4.90 6.00 8.50 10.50 4.50 6.00 7.50 9.75 12.00 15.00 Umb	3.00 4.05 5.00 7.00 9.00 Star Ma 3.75 5.00 6.25 8.00 10.00 12.50	2.50 3.25

MALUS—FLOWERING CRABS

	(1611		
MALUS arnoldiana, 8'-10'		Arnold	Crab
3 to 4 ft	.75	.60	.50
	1.10	.95	.75
4 to 5 ft			.10
5 to 6 ft	1.25	1.00	
6 to 8 ft	2.00	1.75	-
401484			
— atrosanguinea, 10'-15'		Carmine	Crab
3 to 4 ft	.75	.60	.5 0
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50
— baccata, 20'-25'		Siberian	Crab
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft.	1.90	1.50	1.25
8 to 10 ft.	3.00	2.50	1.20
B to 10 11.	0.00	2.00	
1 471 001	777		
— coronaria, 15'-20'	W	ild Sweet	t Crab
4 to 5 ft.	1.00	.80	.65
5 to 6 ft	1.35	1.10	.90
6 to 8 ft.	1.90	1.50	1.25
8 to 10 ft.	3.00	2.50	
— eleyi, 15'-20'		Eley	Crab
5 to 6 ft	1.35	1.10	.90
6 to 8 ft.	1.90	1.50	1.25
8 to 10 ft.	2.40	2.00	1.60
8 to 10 ft.	2.10	2.00	1.00
- floribunda, 10'-15' Japa	nege T	Clowering	Crah
3 to 4 ft	.75	.60	.50 .75
4 to 5 ft	1.10		
F 1 0 01		.95	
5 to 6 ft	1.50	1.25	1.00
5 to 6 ft. 6 to 8 ft.			
6 to 8 ft	1.50	1.25 1.90	1.00 1.50
6 to 8 ft	1.50	1.25	1.00 1.50
6 to 8 ft	1.50	1.25 1.90	1.00 1.50
6 to 8 ft	1.50 2.25	1.25 1.90 Purple	1.00 1.50 e Crab
6 to 8 ft	1.50 2.25 1.50	1.25 1.90 Purple 1.25	1.00 1.50 e Crab 1.00
6 to 8 ft. — purpurea, 10'-15' 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	1.50 2.25 1.50 2.60	1.25 1.90 Purple 1.25 2.20 3.00	1.00 1.50 e Crab 1.00 1.75 2.50
6 to 8 ft	1.50 2.25 1.50 2.60	1.25 1.90 Purple 1.25 2.20	1.00 1.50 e Crab 1.00 1.75 2.50
6 to 8 ft. — purpurea, 10'-15' 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	1.50 2.25 1.50 2.60	1.25 1.90 Purple 1.25 2.20 3.00	1.00 1.50 e Crab 1.00 1.75 2.50
6 to 8 ft	1.50 2.25 1.50 2.60 3.75	1.25 1.90 Purple 1.25 2.20 3.00 Parkman	1.00 1.50 e Crab 1.00 1.75 2.50
6 to 8 ft	1.50 2.25 1.50 2.60 3.75	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10	1.00 1.50 Crab 1.00 1.75 2.50 Crab
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50	1.00 1.50 e Crab 1.00 1.75 2.50 n Crab .90 1.25
6 to 8 ft. — purpurea, 10'-15' 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. — halliana parkmani, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50	1.00 1.50 e Crab 1.00 1.75 2.50 n Crab .90 1.25 1.50 2.00
6 to 8 ft. — purpurea, 10'-15' 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. — halliana parkmani, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50	1.00 1.50 e Crab 1.00 1.75 2.50 f Crab .90 1.25 1.50 2.00 g Crab
6 to 8 ft. — purpurea, 10'-15' 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. — halliana parkmani, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50	1.00 1.50 e Crab 1.00 1.75 2.50 f Crab .90 1.25 1.50 2.00 g Crab
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50	1.00 1.50 e Crab 1.00 1.75 2.50 f Crab .90 1.25 1.50 2.00 g Crab
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering	1.00 1.50 e Crab 1.00 1.75 2.50 e Crab .90 1.25 1.50 2.00 g Crab
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95	1.00 1.50 e Crab 1.00 1.75 2.50 a Crab .90 1.25 1.50 2.00 g Crab .50 .75
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F 1.10 1.50	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25	1.00 1.50 e Crab 1.00 1.75 2.50 n Crab .90 1.25 1.50 2.00 g Crab .75 1.00
6 to 8 ft. ——purpurea, 10'-15' 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. — halliana parkmani, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 6 to 8 ft.	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F 1.10 1.50	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 2 Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .95 1.25 1.50 Betche	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 g Crab .50 .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 g Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab 90 1.25 1.50 2.00 3 Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95 1.25	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 g Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab 90 1.25 1.50 2.00 3 Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95 1.25 1.75	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 2 Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95 1.25	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 2 Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95 1.25 1.75	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 2 Crab .75 1.00 1.25
6 to 8 ft	1.50 2.25 1.50 2.60 3.75 1.35 1.90 2.25 3.00 Red F .75 1.10 1.50 1.90	1.25 1.90 Purple 1.25 2.20 3.00 Parkman 1.10 1.50 1.90 2.50 Flowering .60 .95 1.25 1.50 Betche .60 .95 1.25 1.75	1.00 1.50 2 Crab 1.00 1.75 2.50 1 Crab .90 1.25 1.50 2.00 2 Crab .50 1.25 1.00 1.25

	Unit P	rice in Qu	antities
•	1-4	5-24	25-249
MALUS—Continued			
- niedzwetzkyana, 15'-25'		Redvei	n Crab
5 to 6 ft	1.35	1.10	
6 to 8 ft	1.90	1.50	
— sargenti, 6'-8'			nt Crab
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.35	1.10	.90
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.25	1.90	1.50
— scheideckeri, 10'-15'	Scl	heidecke	er Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50
- spectabilis, 15'-20' Ch	inese F	rlowerin	g Crab
4 to 5 ft	1.10	.95	
5 to 6 ft.	1.50	1.25	1.00
6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
— theifera, 15'-20'		Te	ea Crab
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.10	1.75	
6 to 8 ft.	2.70	2.25	
MORUS alba, 35'-50'	7	Vhite M	ulberry
6 to 8 ft.	1.10	.95	.75
8 to 10 ft.			1.25
— — pendula Te	as Wee	eping M	ulberry
2 year head. 6 to 7 ft. stem		2.20	1.75
3 year heads, 6 to 7 ft. stem		3.00	2.50
MYRICA carolinensis, 4'-5'		thern Ba	
15 to 18 in.		.50	
18 to 24 in.	.75	.60	.50

----{ N }---

NANDINA domestica, 4'-6'		Na	ndina
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	1.90	1.50	
NEW TIA in one in 21 Cl		Tube l	Toillia
NEILLIA sinensis, 5'-6'		Tuber	veima
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
*NYSSA sylvatica, 40'-60' Bl	ackgu	m or Soi	urgum
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft., B&B	3.40	2.80	2.25
5 to 6 ft., B&B	5.25	4.40	3.50
6 to 8 ft., B&B	7.50	6.25	

-----{ O }---

OXYDENDRUM arboreum, 25'-30	,	Sour	rwood
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft.	3.00	2.50	2.00
6 to 7 ft., B&B	6.75	5.50	4.50

PACHYSANDRA terminalis, 6"-8"	Ja	ipanese S	purge
1 year, 2 in. pots	.15	.12	.10
PAULOWNIA tomentosa, 30'		Empres	s Tree
10 to 12 ft., 2 to 2 ½ in	6.75	5.50	4.50
12 to 14 ft., 2½ to 3 in	9.00	7.50	6.00
PHELLODENDRON amurense, 25'	-30′	Amur Co	rktree
4 to 5 ft	.90	.75	
5 to 6 ft.	1.20	1.00	
6 to 8 ft.	2.50	2.00	
— Lavallei	La	avelle Co	rktree
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft.	2.25	1.90·	1.50
8 to 10 ft	3.00	2.50	2.00
PHILADELPHUS avalanche, 4'-5'	Dwa	rf Mocko	range
18 to 24 in.	.30	.25	.20
2 to 3 ft.	.37	.30	.25
3 to 4 ft	.55	.45	.35
The second 1.1-1 41 W1 3771-24 - 37		- 4 N/C 3	
- Bouquet blanc, 4'-5' White B	•	et Mocko	
18 to 24 in	.30	.25	.20
18 to 24 in	.30	.25 .37	.20 .30
18 to 24 in	.30	.25	.20
18 to 24 in	.30 .45 .60	.25 .37	.20 .30 .40
18 to 24 in	.30 .45 .60	.25 .37 .50	.20 .30 .40
18 to 24 in	.30 .45 .60	.25 .37 .50	.20 .30 .40
18 to 24 in	.30 .45 .60 Swe	.25 .37 .50 et Mocko	.20 .30 .40
18 to 24 in	.30 .45 .60 Swe .30 .45	.25 .37 .50 et Mocko .25 .37	.20 .30 .40 erange .20 .30
18 to 24 in	30 .45 .60 Swe .30 .45 .60	.25 .37 .50 et Mocko .25 .37 .50	.20 .30 .40 prange .20 .30 .40
18 to 24 in 2 to 3 ft 3 to 4 ft — coronarius, 9'-10' 2 to 3 ft 3 to 4 ft 4 to 5 ft — floribundus, 9'-10' 2 to 3 ft	.30 .45 .60 Swe .30 .45 .60	.25 .37 .50 et Mocko .25 .37 .50	.20 .30 .40 erange .20 .30 .40
18 to 24 in 2 to 3 ft 3 to 4 ft — coronarius, 9'-10' 2 to 3 ft 4 to 5 ft — floribundus, 9'-10' 2 to 3 ft 3 to 4 ft 4 to 5 ft	30 .45 .60 Swe .30 .45 .60	.25 .37 .50 et Mocko .25 .37 .50	.20 .30 .40 orange .20 .30 .40
18 to 24 in 2 to 3 ft 3 to 4 ft — coronarius, 9'-10' 2 to 3 ft 3 to 4 ft 4 to 5 ft — floribundus, 9'-10' 2 to 3 ft	.30 .45 .60 Swe .30 .45 .60	.25 .37 .50 et Mocko .25 .37 .50	.20 .30 .40 erange .20 .30 .40

PHILADELPHUS—Continued

— lemoinei, 7'-8'	Lemoine	Mock	orange
18 to 24 in		.25	.20
2 to 3 ft		.30	.25
	Virginal	Mock	
12 to 18 in.	.30	.25	.20
18 to 24 in		.37	.30
2 to 3 ft	.60	.50	.40

NEW AND LITTLE KNOWN VARIETIES PHILADELPHUS

We offer the following list of unusual varieties—many offered by us exclusively:

- albatre, large flwd., single, 4'-5'
- -Atlas, extra large flowered, single, 5'-6'
- Banniere, large flowered, 5'-6'
- Enchantment, similar to Lemoine, 4'-5'
- Glasier, semi-dbl., bushy, 4'-5'
- lewisi, large flwd., single, 8'-10'
- maximus, large, flwd., upright growth, 7'-8'
- nivalis, very floriferous, 10'
- pubescens, large flwd., 7'-8'
- purpurascens, purple cup, unique, 7'-8'
- Pyramidale, narrow, upright growth, 8'-10'
- verrucosus, vigorous growth, 8'-10'
- Voie Lactee, large flwd., semi-dbl., 5'-6'

18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.55	.45

PHOTINIA subumbellata (parvifolia) 10'

2	to	3	ft	.37	.30	.25
3	to	4	ft	.52	.45	.35
4	to	5	ft	.75	.60	.50
5	to	6	ft	1.00	.80	.65

Christmas Berry

- villos	a,	10'	Red	Berri	ed Ph	otinia
18 to	2	4 in	3	0	.25	.20
2 to	3	ft	3	7	.30	.25
0. /		0.	940	part .	4 ~	0.5

PHYSOCARPUS	opulifolius,	9'-10'		Nineb	ark
					0.0

2	to	3	ft	.30	.25	.20
			ft	.45	.37	.30
			ft.	.60	.50	.40

PHYSOCA	RPUS-	Continued
---------	-------	-----------

— — aureus, 9'-10'	Goldl	leaf Nine	ebark
18 to 24 in	.24	.20 .27	.16
2 to 3 ft	.45		.30
——— nanus, 5'	Dw	arf Nine	ebark
2 to 3 ft	.45 .60	.37 .50	.30 .40

PICEA—SPRUCE

PICEA—SPRUCE				
PICEA canadensis (glauca) 50'-	60′	White	Spruce	
18 to 24 in., B&B				
2 to 3 ft., B&B	1.90	1.10	$\frac{.90}{1.25}$	
3 to 4 ft., B&B		3.00	$\frac{1.23}{2.50}$	
5 to 4 it., D&D	0.10	0.00	2.00	
— glauca conica, 4'-6'	Dwarf.	Alberta S	Spruce	
9 to 12 in., B&B		.95		
12 to 15 in., B&B			1.00	
15 to 18 in., B&B	2.25			
15 to 16 m., D&D	2.20	1.00	1.00	
— engelmanni, 75'-100'	Eng	elmann s	Spruce	
18 to 24 in., B&B	_	1.90	-	
2 to 3 ft., B&B	3.00	2.50	2.00	
3 to 4 ft., B&B	4.50	$\frac{2.50}{3.75}$	3.00	
5 to 11tt, D&D	1.00	0.10	0.00	
— excelsa (abies) 80'-100']	Norway S	Spruce	
18 to 24 in., B&B			.75	
2 to 2½ ft., B&B	1.50	$0.95 \\ 1.25$	1.00	
2 ½ to 3 ft., B&B		1.90	1.50	
3 to 4 ft., B&B		2.80	2.25	
4 to 5 ft., B&B		4.05		
5 to 6 ft., B&B				
6 to 8 ft., B&B		7.50		
0 to 0 to, Dan	0.00	1.00	0.00	
— pungens, 60'-80'		olorado (Spruce	
18 to 24 in., B&B	1.50	1.25	1.00	
2 to 2½ ft., B&B	2.25	1.90	1.50	
2½ to 3 ft., B&B	3.00	$\frac{1.90}{2.50}$	2.00	
——————————————————————————————————————	Blue C	olorado (Spruce	
18 to 24 in., B&B	2.60	2.20	1.75	
2 to 2½ ft., B&B	3.75		2.50	
2½ to 3 ft., B&B	5.25	4.40	3.50	
— — kosteri, 60'-80'	Kost	er Blue S	Spruce	
3 to 4 ft., B&B	10 50	11 00	0.00	
5 to 6 ft., B&B	18.00	15.00	12.00	
5 to 6 ft., B&B	22,50	19.00	15.00	
6 to 8 ft., B&B	30.00	25.00	20.00	

DWARF SPRUCES

We have been building up a stock of these unusual and attractive varieties of dwarf spruces especially adapted for rockeries and locations when neat, compact evergreens are wanted.

Picca excelsa clanbrasiliana, 12-15	in.	Barry S	pruce
,		•	
— echiniformis, 12-15 in., 15-1	8 in.		
	He	edgehog S	Spruce
— — Gregoryana, 6-9 in., 9-12 in.	, 12-1	5 in.	
	G	regory S	Spruce
— — Maxwelli, 4-6 in.	M	axwell S	Spruce
— — microsperma, 4-6 in., 6-9 in.	Sma	11 Canas	Inrugo
— — microsperma, 4-0 m., 0-9 m.	Silia.	n Cane s	pr uce
midiformia 4 0 in 0 0 in 0	10 :		
— — nidiformis, 4-6 in., 6-9 in., 9-			
12-15 in.		irdnest S	spruce
4 to 6 in., B&B	1.10	.95	.75
6 to 9 in., B&B	1.50	1.25	1.00
9 to 12 in., B&B	$\frac{2.25}{3.00}$	$\frac{1.90}{2.50}$	1.50
12 to 15 in., B&B	3.00	2.50	
PIERIS japonica, 5'-6' J	apane	se Andro	omeda
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
PINUS densiflora, 60'-80'			
'	0.05	1.00	1 50
18 to 24 in., B&B 2 to 3 ft., B&B	$\frac{2.25}{3.00}$	$\frac{1.90}{2.50}$	$\frac{1.50}{2.00}$
3 to 4 ft., B&B	$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$	3.00
o to 1, It., D&D	1.00	0.10	9.00
— flexilis, 30′-40′		Limbe	r Pine
18 to 24 in., B&B	2.25	1.90	1.50
2 to 3 ft., B&B	3.00	2.50	
3 to 4 ft., B&B	4.10	3.50	
4 to 5 ft., B&B	5.50	4.50	
— montana mughus, 3'-4'		Mugh	o Pine
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.00	2.50	
2 to 2½ ft., B&B	3.75	3.00	
— nigra, 60'-70'		Austria	n Pine
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25	4.40	3.50

PINUS—Continu	ed	
---------------	----	--

		70	1. D/
— resinosa, 60'-70'			l Pine
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$	$\frac{2.00}{3.00}$
3 to 4 ft., B&B 8 to 10 ft., B&B	15.00		3.00
10 to 12 ft., B&B		20.00	
2000 = 200 = 200			
— strobus, 80'-100'		White	e Pine
18 to 24 in., B&B	1.50	1.25	1.00
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B	9.00	7.50	6.00
— sylvestris		Scotch	Pine
	-		
18 to 24 in., B&B	$\frac{1.50}{3.00}$	$\frac{1.25}{2.50}$	$\frac{1.00}{2.00}$
2 to 3 ft., B&B 3 to 4 ft., B&B	$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$	$\frac{2.00}{3.00}$
5 to 1 to, 1 to	1.00	0.10	0.00
— thunbergi, 80'-100'	Japane	ese Blaci	k Pine
18 to 24 in., B&B	2.25	1.75	
2 to 3 ft., B&B		2.50	
3 to 4 ft., B&B		3.50	
PLATANUS occidentalis, 75'-100'			
American Planetree or	Ameri	ican Syc	amore
6 to 8 ft	1.35	1.10	.90
8 to 10 ft.	1.90	1.50	1.25
8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	2.60	2.20	1.75
10 to 12 ft., 1½ to 1¾ 1n	$\frac{3.40}{4.10}$	$\frac{2.80}{3.50}$	$\frac{2.25}{2.75}$
12 to 14 ft., 2 to 2½ in	5.50	4.50	$\frac{2.13}{3.50}$
			0.00
— orientalis, 70'-80'	Europ	ean Pla	netree
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft., 1½ to 1½ in	3.00	2.50	2.00
10 to 12 ft., 1½ to 1¾ in	3.75	$\frac{3.00}{2.75}$	2.50
8 to 10 ft., 1½ to 1½ in	$\frac{4.50}{5.60}$	$\frac{3.75}{4.75}$	$\frac{3.00}{3.75}$
12 to 14 ft., 2½ to ½¼ in	6.75	5.50	4.50
12 to 14 ft., 2½ to 2½ in	9.00	7.50	6.00
POLYGONUM auberti, 25'	Ch	ina Flee	cevine
2 year, medium	.45	.37	.30

			10
	Unit Pr 1-4	rice in Qu 5-24	antities 25-249
POPULUS bolleana, 50'-60'	В	olleana	Poplar
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.10	.95	.75
8 to 10 ft., 1½ to 1½ in	1.50	1.25	1.00
— eugenei, 60'-80'	C	arolina	Poplar
6 to 8 ft	.45	.37	.30
8 to 10 ft.	.60	.50	.40
9 to 11 ft., 1½ to 1½ in	.90	.75	.60
10 to 12 ft., 1½ to 2 in	2.25		
12 to 14 ft., 2 to 2½ in	3.00	2.50	2.00
— maximowiczii, 60'-80'	Ja	ıpanese	Poplar
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.10	.95	.75
9 to 11 ft., 1½ to 1½ in	1.50	1.25	1.00
10 to 12 ft., 1½ to 2 in		1.90	1.50
11 to 13 ft., 2 to 2½ in		2.75	
t t W and and		1 1	D 1-
— nigra italica, 60'-80'	Loi	mbardy	Popiar
6 to 8 ft	.37		
8 to 10 ft		.45	
10 to 12 ft., 1 ¼ to 1 ½ in		.75	
10 to 12 ft., 1½ to 1¾ in	1.35		
12 to 14 ft., 1 ¾ to 2 in.	1.90		
14 to 16 ft., 2 to 2½ in	3.00	2.50	2.00



Oriental Planes. One of our leading items and one of the best trees for city use.

		rice in Qua 5-24	
POTENTILLA fruticosa, 3'-4'	Shru	bby Cinc	quefoil
12 to 18 in	.30 .37	.25 .30	.20 .25
PRUNUS americana, 10'-12'	A	mericar	Plum
4 to 5 ft	.52 .75	.45 .60	.35 .50
5 to 6 ft	1.10		.75
— cerasifera pissardi, 12'-15'	Pur	ple Leai	Plum
3 to 4 ft	$.75 \\ .90$.60 .75	.50 .60
— glandulosa, 5′-6′ Pink & Whit			
18 to 24 in		.37	.30
2 to 3 ft	$\frac{.60}{.75}$.50	.40
3 to 4 ft.	uropea	nn Bird (.95 1.25 1.50	
— persica alba Double Wh — — rosea Double Pi			
2 to 3 ft	$\frac{.45}{.60}$.37 .50	.30
4 to 6 ft	.75	.60	.50
3 to 4 ft	1.20	1.00	
4 to 5 ft	$\frac{1.90}{2.50}$	$1.50 \\ 2.00$	-
6 to 8 ft	3.75	3.00	
		Japan (
5 to 6 ft., stems, 1 yr, heads 5 to 6 ft., stems, 2 yr, heads	$\frac{3.40}{4.50}$	2.80 3.75	2.25 3.00

FRINCEION NORSE	31(11)0		43
	Unit Pri 1-4	ice in Qua 5-24	antities 25-249
PRUNUS—Continued			
— tomentosa, 6'-7'	N	anking	Cherry
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft	.70	.55	.45
— triloba plena, 7'-8'	oublefl	owering	g Plum
2 to 3 ft	.60	.50	.40
3 to 4 ft		.60	.50
3 10 4 11	•••		
JAPANESE CHER	RIES		
Amanogawa (Lann. Amanogawa)	, 20'-2	5′	
4 to 5 ft		1.25	
5 to 6 ft	2.00	1.50	
Ichiyo (Serr. Hisakura), 25'-30'			
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.50	1.25	
5 to 6 ft	2. 25	1.90	
J. H. Veitch (Serr. Fugenzo)	(Kofu	gen), S	30′
3 to 4 ft		.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.80	1.50	
6 to 8 ft., 1½ to 1¾ in		2.00	8 —
Kanzan (Serr. Sekiayama) (K	wanzai	1), 40'	
3 to 4 ft		.95	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft		1.50	1.25
6 to 8 ft., 13/4 to 2 in.	2.25	1.90	1.50
8 to 10 ft., 2 to 2½ in	3.00	2.50	2.00
			17
Cl. C roy (Com Alba Para)), 25'-3	80′	
Shirofugen (Serr. Alba-Rosea)		.95	.75
3 to 4 ft	1.50	1.25	
5 to 6 ft		1.50	- 0=
6 to 8 ft., 1½ to 1½ in.	2.25	1.90	
0 10 0 10, 1/4 00 1/2			

EXTRA CHARGE FOR DIGGING CHERRIES B&B SEE B&B SCHEDULE, Page 2

	Unit Pr 1-4	rice in Qu 5-24	antities 25-249
PSEUDOTSUGA douglasi, 70'-80'		Dou	glas-fir
18 to 24 in., B&B	1.35	1.10	.90
2 to 21/2 ft., B&B	2.25	1.90	1.50
2½ to 3 ft., B&B	2.60	2.20	1.75
3 to 4 ft., B&B	3.75	3.00	2.50
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 ft., B&B	7.50	6.25	5.00
10 to 12 ft., B&B	18.00	15.00	
12 to 14 ft., B&B	24.00	20.00	
PTELEA trifoliata, 10'-12' 4 to 5 ft		.50	p Tree .40
PTEROSTYRAX hispida, 30'-40'			
		Epauleti	
5 to 6 ft			
6 to 8 ft	3.75	3.00	
*			
PYRACANTHA coccinea lalandi,		nda Fir	athorn
12 to 18 in., B&B			

 18 to 24 in., B&B
 1.90
 1.50
 1.25

 2 to 2½ ft., B&B
 2.60
 2.20
 —

 2½ to 3 ft., B&B
 3.25
 2.75
 —

NURSERY GROWN OAKS

QUERCUS alba, 100'		White	e Oak
6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft., 1 to 1½ in	3.00	2.50	2.00
8 to 10 ft., 11/4 to 11/2 in.	3.75	3.00	2.50
9 to 11 ft., 1½ to 1¾ in.	4.50	3.75	3.00
10 to 12 ft., 13/4 to 2 in.	5.60	4.75	3.75
11 to 13 ft., 2 to 21/4 in.	6.75	5.50	4.50
12 to 14 ft., 2½ to 2½ in	8.00	6.75	5.50
13 to 15 ft., $2\frac{1}{2}$ to 3 in	10.00	8.00	6.50
14 to 16 ft., 3 to 3½ in.	11.00	9.50	7.50

QUERCUS—Continued

— coccinea, 75'-90'		Scarle	et Oak
6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft., 1 to 1½ in	3.00	2.50	2.00
9 to 11 ft., 11/4 to 11/2 in	3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in	5.25	4.10	3.50
10 to 12 ft., 1½ to 1¾ in 11 to 13 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in 13 to 15 ft., 2¼ to 2½ in 14 to 16 ft., 2½ to 3 in	6.00	5.00	4.00
12 to 14 ft., 2 to 21/4 in.	7.50	6.25	
13 to 15 ft 21/4 to 21/4 in.	9.00	7.50	
14 to 16 ft 21/ to 3 in	10.50	9.00	-
14 to 17 ft., 3 to 3½ in	12.00	10.00	
11 to 1. It., 5 to 0 ₇₂ III	12.00	10.00	
macrocounc		Mossycu	n Ool:
— macrocarpa, 75'-80'		Mossych	рОак
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft., 1 to 1½ in	3.00	2.50	2.00
9 to 11 ft., 13/4 to 11/2 in	3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
11 to 13 ft., 13/4 to 2 in.	5.60	4.75	3.75
12 to 14 ft., 2 to 21/2 in	6.75.		4.50
13 to 15 ft., 2½ to 3 in	9.75	8.00	6.50
14 to 16 ft., 3 to 3½ in	11.40		
— palustris, 75'-90'		Pi	n Oak
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1 to 1½ in.	2.60	2.20	1.75
9 to 11 ft. 11/2 to 11/2 in.	3.40	2.80	2.25
9 to 11 ft., 1½ to 1½ in	4.10	3.50	2.75
11 to 13 ft., 13/4 to 2 in.	5.25	4.10	3.50
12 to 14 ft 2 10 21/ in	6.00	5.00	
12 to 14 ft., 2 to 2½ in. 13 to 15 ft., 2½ to 3 in.	7.80	6.50	
14 to 17 ft 3 to 31/2 in	10.80	9.00	
14 to 17 ft., 3 to 3½ in	14.40	12.00	
Specimens up to 10 in.—price	on ap	pricación.	
— rubra (folcata), 75'-90'	Cor	mmon Re	d Oak
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1 to 1 ¹ / ₄ in	2.60	2.20	1.75
9 to 11 ft., 1½ to 1½ in	3.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
11 to 13 ft 13/4 to 2 in.	5.50	4.75	3.75
12 to 15 ft., 2 to $2\frac{1}{2}$ in	6.75	5.50	4.50
13 to 16 ft., 2½ to 3 in	8.00	6.75	5.50
14 to 17 ft., 3 to 31/2 in	11.00	9.50	7.50
15 to 18 ft., $3\frac{1}{2}$ to 4 in	14.40	12.00	
17 to 20 ft., 4 to 5 in.	18.00	15.00	
— velutina, 75'-90'		Plea	k Oak
			n Oak
10 to 12 ft., 1½ to 1¾ in	4.50	3.50	
11 to 13 ft., 13/4 to 2 in.	5.50	4.50	
12 to 15 ft., 2 to 2½ in.	6.75	5.50	
11 to 13 ft., 13¼ to 2 in. 12 to 15 ft., 2 to 2½ in. 13 to 16 ft., 2½ to 3 in.	8.75	7.00	

---€{ R }---

RETINOSPORA (See CHAMAECYPARIS)

RHAMNUS cathartica, 9'-10'	Comm	on Buck	thorn
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45		30
4 to 5 ft	.60		.40
5 to 6 ft	.75	.60	.50
		, , ,	.00
— frangula, 8'-9'	Glo	ssy Buck	thorn
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	.90	.75	.60
BHODODEWNDON			
RHODODENDRON carolinianum,			
Car	olina I	Rhodode	ndron
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.40	2.75	2.25
2 to 2½ ft., B&B	4.00	3.50	
-catawbiense, 6'-9'			
			ndron
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B		2.50	
2 to 2½ ft., B&B		3.00	
2½ to 3 ft., B&B		4.05	
3 to 4 ft., B&B	6.00	5.00	4.00
— maximum, 8'-12' Ros	sebay F	Rhododei	ndron
Nursery grown. Raised from			
2 to 2½ ft., B&B	2.60	2.20	1.75
2½ to 3 ft., B&B.			2.25
3 to 4 ft., B&B	4.90	4.05	3.25
4 to 5 ft., B&B	7.50	6.25	5.00
5 to 6 ft., B&B	9.75	8.00	6.50
- mucronulatum, 6' Ko	rean R	hododen	dron
3 to 4 ft., B&B	3 75	2 00	ar on
5 to 1 tt, D&D	0.10	5.00	



Rhododendron hybrid vareity roseum elegans, grown under ideal conditions.

HYBRID RHODODENDRONS

- Album elegans-Blush-pink.
- Catawbiense alba-Clear white.
- Catawbiense grandiflora-Rosy-purple.
- Everestianum-Rosy-lilac.
- Roseum elegans-Rich pink.

2 to 3 ft.....

- Roseum superbum-Clear, soft coral-rose.

ABOVE VARIETIES AT FOLLOWING PRICES

18 to 24 in., B&B	5.25	4.40	3.50
2 to 2½ ft., B&B	7.15	5.85	4.75
2½ to 3 ft., B&B		7.75	6.25
3 to 4 ft., B&B	10.00	8.00	
4 to 5 ft., B&B	12.00	10.00	

3 to 4 ft., B&B	10.00	8.00	
4 to 5 ft., B&B	12.00	10.00	
RHODOTYPOS kerrioides (scando	ens),	4'-5 ' White	Kerri a
18 to 24 in. 2 to 3 ft.	.60	.37 .50 .60	.40
3 to 4 ft			
18 to 24 in	.37 $.52$.25 .30 .45 .55	.25 .35
— copallina, 12'-13'		Shining	Sumae
18 to 24 in	30	25	20

.40

.33



PRINCETON SHRUBS. We have one of the finest assortments of well grown shrubs in the country.

Unit Price	in Qua	entities
1-4	5-24	25-249

RH	US	Cont	inued
----	----	------	-------

— glabra, 10'-12'		Smooth	Sumac
18 to 24 in	.20	.17	.14
2 to 3 ft.		.22	.18
3 to 4 ft.		.30	.25
4 to 5 ft.		.45	.35
4mmhin a 45/ 40/	CI.	la ah aun	O
— typhina, 15'-18'		taghorn	
18 to 24 in		.15	.12
2 to 3 ft		.22	.18
3 to 4 ft		.30	.25
4 to 5 ft		.45 .55	.35
5 to 6 ft	. 10	.00	.40
— — laciniata	SI	redded	Sumac
18 to 24 in		.20	.15
2 to 3 ft	.37	.30	.25
ROBINIA hispida, 5'-6'		Rose-	acacia
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
ROSA blanda, 4'-5'		Meado	v Rose
12 to 18 in		.20	.15
18 to 24 in	.30	.25	.20
— hugonis, 5'-6'	Golden	Rose of	China
18 to 24 in	.45	.37	.30
2 to 3 ft.			.40
2 00 0 10,	.00	***	*10
— lucida (virginiana), 5'-6'		Virgini	a Rose
12 to 18 in		.20	.15
18 to 24 in	.30	.25	.20
— multiflora, 9'-10'		Japanes	e Rose
18 to 24 in	.22	.20	.15
2 to 3 ft.		.25	.20
3 to 4 ft		.30	.25
— palustris (carolina), 6'-8'		Swam	p Rose
	.22		
12 to 18 in.			.15
18 to 24 in 2 to 3 ft		$.25 \\ .37$.20
2 to 5 ft	.40	.01	.50
miliainess (e-lantania) VI (I		C	All art
— rubiginosa (eglanteria), 5'-6'			etbrier
18 to 24 in		.25	.20
2 to 3 ft		.37	.30
3 to 4 ft	.52	.45	.35

Unit	Price	in	Qua	nti	ties
1-4		5-2			-249

TOO	C1 10	~				
RO	SA	—-C	on	tı	\mathbf{n}	red

- rubrifolia (ferruginea), 5'-6'		Redleaf	Rose
12 to 18 in.	.22	.20	15
18 to 24 in.	.30	.25	
2 to 3 ft	.45		
— rugosa, 4'-5'	Red	Rugosa	Bone
12 to 18 in			
18 to 24 in	.37	.30	.25
— — alba 4'-5'	White	Rugosa	Rose
12 to 18 in	.30	25	20
18 to 24 in	.45	.37	
	•	***	
cotimons #1.01		T	70
— setigera, 5'-6'		Prairie	
18 to 24 in		.20	
2 to 3 ft		.25	.20
3 to 4 ft	.37	.30	.25
- wichuraiana, white, 10'-12'	7774	ahumian	Dono
· · · · · · · · · · · · · · · · · · ·			
1 year			
2 year		.30	
3 year	.45	.37	.30

--- S } ---

SALISBURIA adiantifolia (See GINKGO)

3 to 4 ft. 4 to 5 ft. 5 to 6 ft.

SALIX babylonica, 50'-60'	Babylon V	Weeping	Willow
5 to 6 ft		.60	.50
6 to 8 ft	1.10	.90	.75
8 to 10 ft			
— — salamoni, 40'-50'	Salamon V	Weeping	Willow
6 to 8 ft		.75	.60
8 to 10 ft	1.35	1.10	.90
10 to 12 ft. 11/4 to 11/4 in.	1.90	1.50	1.25
12 to 14 ft., 1½ to 2 in	3. 00	2.50	2.00
12 to 14 ft., 2 to 2½ in	4.50	3.75	3.00
, - , - , - , - , - , - , - , - , - , -			
— blanda, 40'-50'	Wisconsin V	Veeping	Willow
5 to 6 ft		.55	.45
6 to 8 ft	9 0	.75	.60
8 to 10 ft	1.35	1.10	.90
(1 1 0 1 0 1 0 1	201		
— caprea (bush form), 15'-2	20'	m Diragre	7771110777
	or Europea		
2 to 3 ft		.25	.20

.45

.60 .75 .37

.50 .60 $.30 \\ .40$

.50

SALIX—Continued	SAL	TX-	Co	ntin	ned
-----------------	-----	-----	----	------	-----

ologopticsin o	(III basa)	77	Veeping	Willow
5 to 6 ft		.75	.60	.50
6 to 8 ft		1.10	.95	.75
8 to 10 ft		1.50	1 25	1.00
10 to 12 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		1.90		1.25
10 10 12 11., 1-4 10 1-/2 111		3.40	1.00	1.40
11 to 13 ft., 1½ to 2 in		3.40	2.80	2.25
— fragilis, 40'-50'			Brittle	Willow
5 to 6 ft		.75	.60	.50
6 to 8 ft		1.10	.95	.15
— incana (rosmarinifolia), 8	'-10'	Ro	semary	Willow
2 to 3 ft		.30	.25	.20
3 to 4 ft		.45		
4 to 5 ft.		.70	.55	
4 10 5 11		.10	.00	.40
		_		
— niobe, 30'-40'	Nio	be W	Veeping	Willow
5 to 6 ft		.70	.55	.45
6 to 8 ft		1.00	.80	
8 to 10 ft		1.50	1.25	
0 00 10 10	*********	1.00	1.20	1.00
— nigra, 30'-35'			Black	Willow
4 to 6 ft		.75	.60	
6 to 8 ft		1.10	.95	.75
— pentandra, 20'-30'			Laurel	Willow
		=0		4.5
5 to 6 ft		.70	.55	.45
6 to 8 ft		1.00 1.35	.80 1.10	.65
8 to 10 ft		1.35	1.10	.9 0
— purpurea, 15'-20'			Purp	le Osier
1 +0 C ft		.60	.50	40
4 to 6 ft				
6 to 8 ft		.90	.75	.60
— vitellina aurea (alba v.a.),			~	~~~
		sian	Golden	Willow
5 to 6 ft		.70	.55	.45
6 to 8 ft		1.05		.70
— — britzensis, 30'-40'	Rre	0076	Golden	Willow
· ·				
4 to 5 ft.		.75		
5 to 6 ft		1.05		
6 to 8 ft		1.50	1.25	
— — nova, 30'-40'		New	Golden	Willow
6 to 8 ft		1.00	.80	.65
8 to 10 ft		1.35	1.10	.90
— pendula, 25'-30'	Wee	ping	Golden	Willow
5 to 6 ft		.75	.60	.50
			.95	
6 to 8 ft		1.10		.75
8 to 10 ft		1.50	1.25	1.00
10 to 12 ft		1.90	1.50	1.25

			0,0
	Unit Pr 1-4	ice in Qua 5-24	
SAMBUCUS canadensis, 8'-9'	A	merican	Elder
18 to 24 in	.27	.22	10
2 to 3 ft	.37	.30	.18
3 to 4 ft	.55		
5 10 4 11	.99	.45	.35
— — acutiloba, 7'-9' Cu	tleaf A	merican	Elder
18 to 24 in	.27	.22	.18
2 to 3 ft	.37	.30	.25
3 to 4 ft	.55	.45	.35
		*20	
— — aurea, 8'-9'		Golden	Elder
18 to 24 in.	.27	.22	.18
2 to 3 ft	.37	.30	.25
3 to 4 ft	.55	.45	.35
1 401 401		T 1	
— pubens, 10'-12'	Ameri	can Red	Elder
2 to 3 ft	.45	.37	.30
3 to 4 ft.	.60	.50	.40
4 to 5 ft	.75	.60	.50
SOPHORA japonica, 30'-40'		ese Schol	
3 to 4 ft	3.00	2.50	2.00
4 to 5 ft	3.75	3.00	2.50
5 to 6 ft	4.50	4.00	
6 to 8 ft	6.00	5.00	
SORBARIA aitchisoni, 4'-5'	Kashm	ir False-	spirea
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
SORBUS americana, 30' Am		Mounta	in-as h
3 to 4 ft.	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.60	2.20	1.75
— aucuparia, 25'-30' Eur	ropean	Mounta	in-ash
4 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	0.05	1.00	1 50
	2.25	1.90	1.50
10 to 12 ft., 1½ to 1½ in	3.00 3.75	2.50 3.00	2.00 2.50

		rice in Qua	
CDEDITA II - a W	1-4		25-249
SPIREA alba, 6'-7'	.22	Meadow	.15
18 to 24 in	.30	.20	.13
3 to 4 ft.	.37	.30	
5 (0 4 16	,01	.50	.40
— arguta, 5'-6'		Garland	Spirea
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
— billiardi, 5'-6'		Billiard	Spirea
18 to 24 in	.22	.20	.15
2 to 3 ft.	.30	.25	.20
3 to 4 ft.	.45	.37	.30
4 to 5 ft.	.60		

— bumalda, 3']	Bumalda	Spirea
15 to 18 in.	.27	.22	.18
— — Anthony Waterer, 3' Ant	hony	Waterer	Spirea
12 to 15 in	.22	.20	.15
15 to 18 in.	.30	.25	.20
18 to 24 in.	.37	.30	95
	.01	.00	.25
2 to 3 ft.	.45	.37	.25
2 to 3 ft		.37	.30
2 to 3 ft	.45	.37 Frobel	.30 Spirea
2 to 3 ft. — frobeli, 3' 18 to 24 in.	.30	.37 Frobel	.30 Spirea .20
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft.	.45 .30 .37	.37 Frobel .25 .30	.30 Spirea .20 .25
2 to 3 ft. — frobeli, 3' 18 to 24 in.	.45 .30 .37	.37 Frobel .25 .30	.30 Spirea .20 .25
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft.	.45 .30 .37 Pink	.37 Frobel .25 .30 Meadow .20	.30 Spirea .20 .25
2 to 3 ft	.45 .30 .37 Pink .22 .30	.37 Frobel .25 .30 Meadow .20 .25	.30 Spirea .20 .25 Spirea .15 .20
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft. — latifolia (salicifolia), 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 .30 .37 Pink .22 .30 .45	.37 Frobel .25 .30 Meadow .20 .25 .37	.30 Spirea .20 .25 Spirea .15 .20 .30
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft. — latifolia (salicifolia), 4'-5' 18 to 24 in. 2 to 3 ft.	.45 .30 .37 Pink .22 .30	.37 Frobel .25 .30 Meadow .20 .25	.30 Spirea .20 .25 Spirea .15 .20
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft. — latifolia (salicifolia), 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 .30 .37 Pink .22 .30 .45	.37 Frobel .25 .30 Meadow .20 .25 .37	.30 Spirea .20 .25 Spirea .15 .20 .30 .40
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft. — latifolia (salicifolia), 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 .30 .37 Pink .22 .30 .45	.37 Frobel .25 .30 Meadow .20 .25 .37 .50	.30 Spirea .20 .25 Spirea .15 .20 .30 .40
2 to 3 ft. — frobeli, 3' 18 to 24 in. 2 to 2½ ft. — latifolia (salicifolia), 4'-5' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — prunifolia plena 7'-8'	.45 .30 .37 Pink .22 .30 .45	.37 Frobel .25 .30 Meadow .20 .25 .37 .50 Bridal	.30 Spirea .20 .25 Spirea .15 .20 .30 .40



4 to 5 ft.....

PRINCETON SPIREA, Thumbergi. We have an especially fine lot of the most popular varieties.

SPIREA—Continued	Unit P 1-4	rice in Qu 5-24	antities 25-249
— reevesiana (cantoniensis) 7'-8	0.0	Reeves	_
18 to 24 in	.22	.20 .25	.15 .20
3 to 4 ft	.45	.29	.30
Fl. Pl. (Lanceata) 7'-8'	ouble	Reeves	Spirea
18 to 24 in.		.25	
2 to 3 ft	.37		.25
	3372	11 1 6	~
— salicifolia, 8'-9'		llowleaf	_
18 to 24 in	.22	.20 $.25$.15
3 to 4 ft	.37		
		.00	.20
- sorbifolia (See SORBARIA sorb	ifolia)	
— thunbergi, 4'-5'	Tł	nunberg	Spirea
12 to 18 in	.18		.12
18 to 24 in.	.25		.16
— tomentosa, 3'-4'			rdhack
18 to 24 in.	.22	.20	
2 to 3 ft	$.30 \\ .45$	$.25 \\ .37$.20
3 (0 4 1(.40	.01	.50
— trichocarpa, 5'-6'		Korean	Spirea
2 to 3 ft	.33	.27	.22
3 to 4 ft	.45	.37	.30
— vanhouttei, 8'-9'	Was	nhautta	Chimaa
· ·		nhoutte	_
18 to 24 in	.22	.20 .25	.15
3 to 4 ft	.45	.37	.30
STEPHANANDRA flexuosa (incisa		3' Stephai	andre.
		_	
2 to 3 ft	.37 $.52$.30 .45	.25
4 to 5 ft	.70		.45
STYRAX japonica, 12'-15'	Japa	nese Sn	owball
3 to 4 ft., B&B	3.00	2.50	2.00
4 to 5 ftB&B	4.50	3.75	3.00
5 to 6 ft., B&B	6.00	5.00	
6 to 8 ft., B&B	7.50		$\frac{5.00}{7.50}$
8 to 10 ft., B&B	11.25	9.50	7.50
SYMPHORICARPOS chenaulti, 6'	-8′		
		ult Cora	lberry
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
— mollis, 4'-5'	pread	ing Snov	wberry
2 to 3 ft	_	.25	.20
3 to 4 ft	.45	.37	.30

SYMPHORICARPOS—Continued			
— racemosus (albus), 5'-6'		Snow	berrv
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
0 00 1 10	*10	.0.	.00
- vulgaris (orbiculatus), 4'-5'		Coral	berry
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
		~	
SYMPLOCUS paniculata, 20'-25'		tic Swee	
3 to 4 ft.	.75	.60	.50
4 to 5 ft	1.05	.90	.70
5 to 6 ft	1.35	1.10	.90
SYRINGA chinensis (rothomagens	sis), 8'-9	9′	
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.55	.45
— chinensis saugeana, 8"-9"	Purple	Chinese	Lilac
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft.		.55	.45
		***	• • • •
— japonica, 18'-20'	Japane	ese Tree	Lilac
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— josikaea, 9'-10'	Hn	ngarian	Lilac
18 to 24 in	.37	.30	.25
2 to 3 ft.	.45	.37	.30
3 to 4 ft.	.60	.50	.40
5 to 4 it	•00	.00	.40
— persica, 9'-10'		Persian	Lilac
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
— — alba, 5'-6'	White	Persian	Lilac
2 to 3 ft	.52	.45	
3 to 4 ft		.60	
4 to 5 ft.		.75	
— villosa, 7'-8'		Late	Lilac
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.55	.45
5 to 6 ft	.85	.70	.55
— vulgaris, 12'-15'	Common	n Purple	Lilac
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft		.45	.35
4 to 5 ft	.70	.55	.45

PRINCETON NUR	SERIES			57
	Unit 1-4	Price in C	Quanti 1 25	
SYRINGA—continued				- 17
— — alba, 12'-15'	Comr	non Wh	ite L	ilac
18 to 24 in		.30)	.25
2 to 3 ft				.35
3 to 4 ft				.45
1 00 0 10			U	.99
FRENCH LILACS — NAMALL ON OWN			ES	
*Strong bushy g	rowers			
Name and Color	Sizes	availabl	e	
PD Adelaide Dunbar				
Double. Violet red	12-1 8,	18-24,	2-3,	3-4
BD Alphonse Lavalle Double. Deep lilac blue	12-18,	18-24,	2-3,	3-4
PD Charles Joly Double. Light red purple	12-18,	18-24,	2-3,	3-4
PS Charles Tenth Single. Dull red purple	12-18,	18-24,	2-3,	3-4
WS *Florent Stepman Single. White large flower	12-18,	18-24,	2-3,	3-4
BS Hugo Koster Single. Lilac blue	12-18,	18-24,	2-3,	3-4
PS John deMessmaker Single. Light red purple	12-18,	18-24,	2-3,	3-4
BD *Kath. Havemeyer Double. Lilac v. purple			2-3,	3-4
PS Ludwig Spaeth Single. Purple v. red	12-18,	18-24,	2-3,	3-4
DW Mme. Cas. Perrier Double. Creamy white	12-18,	18-24,	2-3,	3-4
BS *Mme. F. Morel Single. Deep pink-lilac	18-24,	2-3,	3-4,	4-5
WD Mme. Lemoine Double. White	12-18,	18-24,	2-3,	3-4
WS Marie LeGraye Single. White	12-18,	18-24,	2-3,	3-4
BD *Michel Buchner Double. Pinkish lilac	12-18,	18-24,	2-3	3-4
RD Paul Hariot Double. Red mauve			2-3,	3-4
BD *Pres. Grevy Double. Light pink-lilac	18-24,	2-3,	3-4,	4-5
RS *Pres. Poincare Double. Clear red-purple	18-24,	2-3,	3-4,	4-5
PS Reaumur Single. Clear purple-red	12-18,	18-24,	2-3,	3-4
BS Rubra de Marly Single. Pale lilac red	12-18,	18-24,	2-3,	3-4
WS *Vestale Single. White lg. flower PD Wm. Robinson		18-24,	2-3,	3-4
Double. Red vpurple Above Varieties at Foll		2-3,	3-4,	4-5
12 to 18 in	37	7 .3		.25
18 to 24 in				.35
2 to 3 ft				.60
4 to 5 ft				.75

TAMARIX gallica, 8'-9'	Fr	ench Ta	amarix
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft	.45	.37	.30
— parviflora, 12'-14'	Та	marix A	Algeria
2 to 3 ft	.30	.25	.20
3 to 4 ft	45	.37	.30
— pentandra, 12'-15'	Fivesta	me n T a	amarix
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft		.37	.30
TAXUS—THE Y	EWS		
TAXUS baccata repandens, 18"-24	Į″		
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B		2.20	1.75
18 to 2 4in., B&B	4.10	3.50	2.75
— — tardiva, 15'			
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B		4.00	
2½ to 3 ft., B&B	6.35	5.30	4.25
— cuspidata, 10'-15' Spr	eading 3	Japanes	e Yew
12 to 15 in., B&B		1.25	1.00
15 to 18 in., B&B		1.90	1.50
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	$\frac{4.90}{6.35}$	$\frac{4.00}{5.30}$	$\frac{3.25}{4.25}$
3 to 3½ ft., B&B		6.50	5.25
3½ to 4 ft., B&B		9.30	7.50
4 to 5 ft., B&B		12.50	10.00
5 to 6 ft., specimens	24.00	20.00	
6 to 7 ft., specimens	36.00	30.00	
—— Browni			
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
——————————————————————————————————————	Ipright 3	Japanes	e Yew
18 to 24 in., B&B		2.20	1.75
2 to 2½ ft., B&B	4.10	3.50	2.75
2½ to 3 ft., B&B	5.60	4.75	3.75
3 to 3½ ft., B&B		5.85	$\frac{4.75}{6.25}$
3½ to 4 ft., B&B 4 to 5 ft., B&B	19.00	7.75	8.00
5 to 6 ft., B&B	15.00	12.50	10.00
6 to 7 ft., B&B	18.00	15.00	
—— hicksi, 20'-25'		Hicks	s' Yew
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.60	2.20	1.75
2 to 2½ ft., B&B	3.75	3.00	2.50
2½ to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.75	5.50	4.50
4 to 5 ft., B&B	11.25	9.30	7.50
5 to 6 ft., B&B	14.40	12.00	

PRINCETON NURSE	ERIES		59
	Unit P	rice in Qua	ntities
TAXUS—Continued	1-4	5-24	25-249
	7 Danni	ed Uprigl	h + 37 a
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.25	1.50
18 to 24 in., B&B		2.50	2.00
2 to 2½ ft., B&B		3.50	$\frac{2.00}{2.75}$
—— nana (brevifolia), 2'-3'			
nana (prevnona), 2-3	Dwari		
12 to 15 in., B&B 15 to 18 in., B&B		$\frac{2.20}{2.80}$	1.75
18 to 21 in., B&B	$\frac{3.40}{4.50}$		2.25
21 to 24 in., B&B		3.75	3.00
2 to 2½ ft., B&B		$\frac{5.00}{6.25}$	4.00
24/2 to 3 ft., B&B		8.00	$\frac{5.00}{6.50}$
/ 22	9.10		
—— thayeri, 6'-8'	4.00	Thayer	
12 to 15 in., B&B		1.50	1.25
15 to 18 in., B&B		2.20	1.75
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	5.25	4.40	3.50
— hatfieldi, 8'-10'		Hatfiel	d Yew
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	2.60	2.20	1.75
2 to 2½ ft., B&B	3.75	3.00	2.50
2½ to 3 ft., B&B	5.60	4.75	3.75
3 to 4 ft., B&B	7.50	6.25	5.00
4 to 5 ft., B&B	11.25	9.50	7.50
— intermedia, 12'-15'		Hybri	d Yew
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2½ ft., B&B	5.25	4.40	3.50
2½ to 3 ft., B&B	6.00	5.00	
THUJA occidentalis, 15'-30'	Ameri	can Arbo	orvitae
18 to 24 in., B&B	.75	.60	.50
2 to 3 ft., B&B		1.25	1.00
3 to 4 ft., B&B		1.90	1.50
4 to 5 ft., B&B		3.00	2.50
5 to 6 ft., B&B		4.75	3.75
6 to 8 ft., B&B		6.25	5.00
8 to 10 ft., B&B		8.75	7.00
10 to 12 ft., B&B		12.50	10.00
12 to 14 ft., B&B	18.00	15.00	
— — compacta, 2½'-4'		ons Arbo	orvitae
9 to 12 in., B&B		.60	.50
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in B&B		1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
—— Elegantissima Go	ld Tip	ped Arbo	orvitae
18 to 24 in., B&B	1.10	.95	.75
2 to 3 ft., B&B	1.90	1.50	1.25
3 to 4 ft., B&B		2.50	2.00
A + - F S+ DSD	4.50	9.75	9 00

 — ellwangeriana, 4'-6'
 Tom Thumb Arborvitae

 12 to 15 in., B&B
 .75
 .60
 .50

 15 to 18 in., B&B
 1.10
 .95
 .75

 18 to 24 in., B&B
 1.50
 1.25
 1.00

 2 to 2½ ft., B&B
 1.90
 1.50
 1.25

- globosa, 3'-4'

9 to 12 in., B&B. 12 to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B.

Globe Arborvitae .75 .60 .50 1.10 .95 .75 1.50 1.25 1.00 1.90 1.50 1.25

1.10 1.50

		ice in Quar	
CONTRACTOR CONTRACTOR	1-4	5-24	25-249
THUYA—Continued	**		
— occidentalis hoveyi, 3'-4'		ey Arbo	
12 to 15 in., B&B	$\frac{1.00}{1.35}$.80 1.10	.65 .90
18 to 24 in., B&B	1.70	1.40	1.15
2 to 2½ ft., B&B	2.10	1.75	
—— lutea, 10'-15' George	Peabo	dy Arbo	rvitae
4 to 5 ft., B&B		3.50	2.75
5 to 6 ft., B&B		4.40	3.50
6 to 7 ft., B&B	6.75	5.50	4.50
—— plicata 2 to 3 ft., B&B	1.90	1.50	1.25
3 to 4 ft., B&B	$\frac{1.90}{3.00}$	$\frac{1.50}{2.50}$	$\frac{1.25}{2.00}$
4 to 5 ft., B&B		3.50	2.75
— — pyramidalis, 15'-30'	Pyrami	dal Arbo	rvitae
18 to 24 in., B&B		.95	.75
2 to 3 ft., B&B	1.90	1.50	1.25
3 to 4 ft., B&B		2.50	2.00
4 to 5 ft., B&B 5 to 6 ft., B&B	$\frac{4.50}{6.00}$	$\frac{3.75}{5.00}$	$\frac{3.00}{4.00}$
8 to 10 ft., B&B		10.00	8.00
10 to 12 ft., B&B		12.50	10.00
— — Rosenthali	Rosent	hal Arbo	rvitae
18 to 24 in., B&B		1.25	1.00
2 to 2½ ft., B&B		$\frac{1.50}{2.20}$	1.25
2½ to 3 ft., B&B			1.75
· · · · · · · · · · · · · · · · · · ·		ene Arbo	
2 to 2½ ft., B&B 2½ to 3 ft., B&B		$\frac{1.25}{1.90}$	$1.00 \\ 1.50$
3 to 4 ft., B&B	3.00	$\frac{1.50}{2.50}$	2.00
4 to 5 ft., B&B	3.75	3.00	2.50
5 to 6 ft., B&B	4.50	3.75	
— — wareana, 12'-15'		ian Arbo	rvitae
18 to 24 in., B&B	. 1.35	1.10	.90
2 to 2½ ft., B&B	. 1.90 . 2.60	$\frac{1.50}{2.20}$	1.25
3 to 4 ft., B&B		3.00	$1.75 \\ 2.50$
4 to 5 ft., B&B		4.40	3.50
BIOTA or CHINESE AR			
— orientalis aurea conspicua (B		7 '-8 ' ire Arbo	rwitaa
15 to 18 in., B&B	1.10	.95	.75
18 to 24 in., B&B	. 1.90	1.50	1.25
2 to 2½ ft., B&B	2.25	1.90	1.50
2½ t0 5 It., B&B	. 5.00	2.50	2.00
——— nana (Biota), 2½'-3' Berckma	ng Col	den Arbe	rvitao
9 to 12 in., B&B		.55	.45
12 to 15 in., B&B	90	.75	.60
15 to 18 in., B&B		1.00	.80
18 to 24 in., B&B	. 1.90	1.50	1.25
— elegantissima (Biota), 7'-8'			
Yello		mn Arbo	rvitae
18 to 24 in., B&B		1.25	1.00
2 to 2½ ft., B&B		$\frac{1.50}{2.20}$	$1.25 \\ 1.75$
3 to 4 ft., B&B		3.00	2.50

TILIA—THE LINDENS

TILIA americana, 75'-90'	An	erican	Linden
6 to 8 ft	1.10 1.50 2.50 3.00 4.50 6.00 7.50 9.75	.95 1.25 2.05 2.50 3.75 5.00 6.25 8.00	.75 1.00 1.65 2.00 3.00 4.00 5.00 6.50
— cordata, 70' Littlel	eaf Eu	ropean	Linden
8 to 10 ft., 1½ to 1¾ in	4.50 5.25 6.00 7.50 9.00 11.25	3.75 4.40 5.00 6.25 7.50 9.30	
— platyphyllos, 70′ Bigl	eaf Eu	ropean	Linden
6 to 8 ft. 8 to 10 ft., 1½ to 1½ in. 8 to 10 ft., 1½ to 1¾ in. 8 to 10 ft., 1¾ to 2 in. 10 to 12 ft., 2 to 2¼ in. 10 to 12 ft., 2½ to 3 in. 12 to 14 ft., 3 to 3½ in.	1.90 2.60 3.40 4.50 6.00 7.50 9.00 11.25	1.50 2.20 2.80 3.75 5.00 6.25 7.50 9.30	$\frac{5.00}{6.00}$
— tomentosa (argentea), 40'-60'		Silver	Linden
10 to 12 ft., 2 to 2½ in	$10.00 \\ 13.50$	6.75 8.50 11.00 13.75	7.00
— vulgaris (europaea), 70'-90'	Eu	ropean	Linden
10 to 12 ft., 13¼ to 2 in	5.25 6.00 7.50 9.00 11.25	4.40 5.00 6.25 7.50 9.30	

MAXIN AND AND AND AND AND AND AND AND AND AN	1-4	5-24	25-249
THE HEMLOCI			
TSUGA canadensis, 75'-90'		anada He	
1½ to 2 ft., B&B	1.50	1.25	1.00
2 to 21/2 ft., B&B	3.00	2.50	2.00
21/2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.25 6.75	$\frac{4.40}{5.50}$	3.50
5 to 6 ft., B&B		8.00	$\frac{4.50}{6.50}$
6 to 7 ft., B&B		8.50	0.50
0 00 1 10, 15025	10.20	0.00	
ULMUS americana, 80'-100'		America	
6 to 8 ft.	.90	.75	.60
8 to 10 ft.	1.50	1.25	1.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.90	1.50	1.25
9 to 11 ft., 1½ to 1¾ in	2.60	2.20	1.75
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
11 to 13 ft., 2 to 2½ in	$\frac{4.50}{6.75}$	$\frac{3.75}{5.50}$	$\frac{3.00}{4.50}$
14 to 16 ft., 3 to $3\frac{1}{2}$ in	9.00	$\frac{3.50}{7.50}$	6.00
14 to 16 ft., 3 to 3 1/2 to 4 in	10.00	9.00	0.00
16 to 18 ft., 4 to 4½ in		12.00	
18 to 20 ft., 4½ to 5 in	18.00	15.00	
— — Moline, 80'-100'		Molin	e Elm
8 to 10 ft	1.90	1.50	1.25
9 to 11 ft., 1/41 to 11/2 in	2.60	2.20	1.75
10 to 12 ft., 1½ to 1¾ in	3.40	2.80	2.25
11 to 13 ft., 13/4 to 2 in	4.10	3.50	2.75
12 to 14 ft., 2 to 2½ in	5.25	4.40	3.50
14 to 16 ft., 2½ to 3 in	7.50	6.25	5.00
15 to 17 ft., 3 to 3½ in	9.00	7.50	
—— "Princeton," 80'-100' (Selected Vase Type)		Princeton	n Elm
6 to 8 ft	1.35	1.10	.90
8 to 10 ft.	1.90	1.50	1.25
8 to 10 ft., 1½ to 1½ in	2.60	2.20	1.75
10 to 12 ft., 1½ to 1¾ in	3.40	2.80	2.25
12 to 14 ft., 13/4 to 2 in. 12 to 14 ft., 2 to 21/2 in.	$\frac{4.10}{5.25}$	$\frac{3.50}{4.40}$	$\frac{2.75}{3.50}$
— Vase shape, 60'-75' Vase S			
10 to 12 ft.,1 ½ to 134 in		2.80	2.25
10 to 12 ft., 13/4 to 2 in	4.10	3.50	2.75
12 to 14 ft., 2 to 2½ in	5.25	4.40	3.50
— campestris, 80'-100'		English	
6 to 8 ft.	1.90	1.50	1.25
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft., 1½ to 1½ in	3.00	2.50	$\frac{2.00}{2.50}$
10 to 12 ft., 1½ to 1¾ in	3.75	3.00	2.00
— pumila	4 40	Chinese	
6 to 8 ft	1.10	.95	.75
8 to 10 ft 8 to 10 ft., 1½ to 1½ in	$\frac{1.50}{2.25}$	$1.25 \\ 1.90$	1.00 1.50
10 to 12 ft., 1½ to 1¾ in.	2.23	$\frac{1.50}{2.50}$	2.00
VACCINIUM corymbosum, 5'-6' Collected—Transplanted.	High	bush Blue	berry
1½ to 2 ft., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	4.50	3.75	3.00

	Unit Price in Quantitie		
	1-4	5-24	25-249
VIBURNUM acerifolium		Leaf Vil	urnum
18 to 24 in		.45	.35
2 to 3 ft		.55 .70	.45
	.00	.10	.66.
— americanum (trilobum), 8'-9'			
		Cranber	
18 to 24 in		.25	.20
2 to 3 ft		.35 .45	.27 .35
4 to 5 ft		.55	.45
73 - 3			
— Burkwoodi 12 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B		2.00	1.60
2 to 2½ in., B&B		2.35	1.90
— cassinoides, 5'-6'		Wi	the-rod
12 to 18 in	.27	.22	.18
18 to 24 in.		.30	.25
2 to 3 ft		.45	.35
3 to 4 ft		.55 .70	.45 .55
	.00		
— dentatum, 10'-12'	0.4		whead
18 to 24 in.		.20 .27	.16 $.22$
2 to 3 ft		.37	.30
4 to 5 ft.		.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft.	.90	.75	.60
— dilatatum, 8'-9'	Li	nden Vib	urnum
18 to 24 in.		.30	.25
2 to 2½ ft		.45 .55	.35 .45
2½ to 3 ft		.70	.55
		XX7 C 1-	4
— lantana, 15'-18'		Wayfarii .20	
18 to 24 in	.24	.20	$.16 \\ .22$
3 to 4 ft.	.45	.37	.30
4 to 5 ft.	.60	.50	.40
5 to 6 ft	.75	.60	.50
— lentago, 18'-20'		Nann	yberry
18 to 24 in.	.33	.27	.22
2 to 3 ft	.45	.37 .50	.30 .40
3 to 4 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
— molle, 10'-12'	Kentı	icky Vib	urnum
18 to 24 in	.24	.20	.16
2 to 3 ft	.33	.27	.22
3 to 4 ft.	.45	.37	.30
4 to 5 ft. 5 to 6 ft. 5	.60	.50 .60	.40 .50
	-	Cranber:	
18 to 24 in	.37	.30 .37	.25 .30
2 to 3 ft	.45	.45	.35
4 to 5 ft	.70	.55	.45
5 to 6 ft	.90	.75	.60

٦	7TR	TIB	N	IIIV	[('on	tin	ued

VIBOUNCH—Continued			
— opulus sterile, 9'-10'	Com	mon Sno	wball
18 to 24 in	.30	.25	.20
2 to 3 ft.	.37	.30	.25
3 to 4 ft	.55	.45	.35
4 to 5 ft	.70	.55	.45
1 00 0 10		.00	.10
— prunifolium, 10'-12'		Blac	khaw
18 to 24 in	.52	.45	.35
2 to 2½ ft	.70	.55	.45
2½ to 3 ft.	.85	.70	.55
3 to 4 ft.	1.05	.90	.70
4 to 5 ft.	1.35	1.10	.90
5 to 6 ft.		1.70	1.35
— sieboldi (japonicum), 9'-10'	Siebo	ld Virbu	rnum
18 to 24 in	.30	.25	.20
2 to 3 ft.	.45	.37	.30
3 to 4 ft.	.60	.50	.40
4 to 5 ft.	.85	.70	.55
5 to 6 ft	1.00	.80	.65
— tomentosum, 7'-8'	ouhlefi	le Virbu	rnum
, .			
18 to 24 in.	.30		.20
2 to 3 ft	.45		.30
3 to 4 ft	.60	.50	.40
— — plicatum (sterile), 7'-8'	Japai	nese Sno	wball
18 to 24 in	.45	.37	.30
2 to 3 ft.	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft.		.80	.65



Viburnums are another specialty in Princeton. We have all of the best varieties in quantity; the quality is of the best and they are priced right.

		e in Quan 5-24 2	
VIBURNUM—Continued			
wrighti, 7'-8'	Wrig	ht Vibu	rnum
18 to 24 in	.37	.30	.25
2 to 2½ ft	.52	45	.35
21/2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.00	.80	.65
VINCA minor, 6"-8"	Dariwin	kle or M	vrtla
2½ in. pots		.12	
2½ III. pots	.10	.12	.10
VITEX macrophylla, 3'-4' Large-lea	vod Lila	o Chaste	-troo
18 to 24 in.	.30		
2 to 3 ft		$.25 \\ .37$.30
2 to 9 ft	.10	.01	
VITIS labrusca, 40' 2 year	.30	Fox C	rape
3 year		.25 .37	30
WEIGELIA amabilis (florida) 7'-	·8′ F	Rose Wei	gelia
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
candida, 7'-8'	W	hite Wei	igelia
2 to 3 ft	.30	.25	.20
3 to 4 ft		.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft.	.75	.60	.50
Eva Rathke, 4'-5'	Redflow	e red W ei	igelia
12 to 18 in	.30	.25	
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
— floribunda, 8'		nson We	_
18 to 24 in		.25	
2 to 3 ft		.30	.25
3 to 4 ft	.55	.45	.35
		Leaf We	igelia
18 to 24 in		.30	.25
2 to 3 ft		.37	.30
— rosea, 7'-8']	Pink We	i g elia
18 to 24 in	.24	.20	.16
2 to 3 ft	.30	.25	.20
3 to 4 ft	0.0	.37	.30
4 to 5 ft	.60	.50	.40

WEIGELIA HYBRIDS

New and unusual varieties of Weigelia with flowers of beautiful colors. A great improvement on the old sorts.

Name Dashairi	Color	Sizes A	vailabl	e
— Desboisi	deep rose		3-4'.	4-5'
— Feerie			,	
— Feetile	deep rose	18-24", 2-3	3', 3-4',	4-5'
- Gustav Mallot				
	rose red	18-24", 2-	3', 3-4',	4-5'
- Mme. Billard				
	light pink		3-4',	, 4-5'
— Profusion	1111	1004" 0	0/ 0 //	4 = 1
18 to 24 in			.25	.20
2 to 3 ft		.37	.30	.25
3 to 4 ft		.52	.45	.35
4 to 5 ft		.70	.55	.45
WISTARIA multijuga	a (floribunda	macrobot	rys)	
35'-50'		Longcluste	er Wist	teria
12 to 18 in., grafts	S	.45	.37	.30
18 to 24 in., grafts		.60	.50	.40
2 to 3 ft., grafts.			.60	.50
3 to 4 ft., grafts.		.90	.75	.60
— — alba, 35'-50,	Wł	hite Chines	se Wist	teria
12 to 18 in., grafts			.45	
18 to 24 in., grafts				
			.75	
2 to 3 ft., grafts. 3 to 4 ft., grafts.		1.05		
— — Rosea, 35'-50'		ink Chines	se Wist	teria
2 to 3 ft., grafts			.60	
3 to 4 ft., grafts		.90	.75	.60
— sinensis blue, 35'-	50' (grafted)	Chines	se Wist	teria
12 to 18 in			.30	.25
18 to 24 in			.45	.35
2 to 3 ft		.70	.55	.45
— — alba, 35'-50'				teria
2 to 3 ft., 2 yr. g		.75		
3 to 4 ft., 3 yr. g	rafts	.90	.75	
3 to 4 ft., 3 yr. g 4 to 5 ft., 4 yr. g	rafts	1.25 1	.00	

---- Z }---

ZANTHORHIZA apiifolia, 2'-3' (Xanthorhiza simplicissima)		Yello	wroot
2 yr., 12 to 15 in	.45	.37	.30
3 yr., 15 to 18 in	.60	.50	.40
3 vr., 18 to 24 in.	.75	60	50

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr.	.20	.15
Average 2 ft. or more, including all good ornamental varieties of Deutzia, Spirea, Callicarpa Philadelphus and others.		
GROUP B—Shrubs, 3 yr.	.25	.20
Average 3 ft. or more, including all good ornamental varieties same as above.		
GROUP C—Special, 3 and 4 yr. Shrubs	.35	.30
Average 4 ft. or more, including all good ornamental varieties as above with the addition of some of the better, higher priced varieties of Viburnum, etc.		

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



JUNIPERUS PFITZERIANA

This shows a block of young Pfitzers Juniper. We have a beautiful stock of this variety offered at very attractive prices. See page 27.



JUNIPERUS COMMUNIS
In addition to the varieties of Junipers carried by most nurseries we have a good stock of the Common New England Pasture Junipers. These are being used extensively for highway roadside plantings. See page 28.



DEUTZIA GRACILIS

This is one of the neatest dwarf shrubs. Very popular for edging borders. We have beautiful stock along with many other similar types; such as Spirea Anthony Waterer. Prices are very reasonable. See page 19 & 54.



SHRUBS — 2 YEAR OLD

A general view in the shrub block showing Deutzia, Spirea, etc., two years after planting. At the end of the first year stock was cut back carefully to within a few inches of the ground which resulted in bushy, sturdy tops.



FRUITS IN THE VICTORY GARDENS

will make an important contribution to the war effort. The heavy demand for fresh and processed fruits by our government and armed forces makes it extremely important to encourage in every way possible orchard and home plantings so that our family needs will be adequate for proper health. We would anticipate a heavy demand on our regular production for several years after the war and therefore not only encourage the quickly maturing small fruits but also the various tree fruits which may take from 2 to 4 years to come into bearing.

How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE
PRINCETON
1776

